



Alta Vista

AIR QUALITY IMPACT ANALYSIS

CITY OF PLACENTIA

PREPARED BY:

Haseeb Qureshi
hqureshi@urbanxroads.com
(949) 336-5987

Alyssa Tamase
atamase@urbanxroads.com
(949) 336-5988

DECEMBER 5, 2017

TABLE OF CONTENTS

TABLE OF CONTENTS	I
APPENDICES	II
LIST OF EXHIBITS	II
LIST OF TABLES	II
LIST OF ABBREVIATED TERMS	III
EXECUTIVE SUMMARY	1
1 INTRODUCTION	3
1.1 Site Location	3
1.2 Project Description.....	3
1.3 Construction-Source Air Pollutant Emissions Mitigation Measures	3
1.4 Construction and Operational-Source Air Pollutant Emissions Mitigation Measures	4
2 AIR QUALITY SETTING	7
2.1 South Coast Air Basin	7
2.2 Regional Climate	7
2.3 Wind Patterns and Project Location	9
2.4 Existing Air Quality	9
2.5 Regional Air Quality.....	12
2.6 Local Air Quality	12
2.7 Regulatory Background	17
2.8 Existing Project Site Air Quality Conditions	19
3 PROJECT AIR QUALITY IMPACT	21
3.1 Introduction.....	21
3.2 Standards of Significance	21
3.3 Project-Related Sources of Potential Impact.....	22
3.4 Construction Emissions	22
3.5 Operational Emissions.....	25
3.6 Localized Significance - Construction Activity	27
3.7 Localized Significance – Long-Term Operational Activity.....	32
3.8 CO “Hot Spot” Analysis.....	33
3.9 Air Quality Management Planning.....	34
3.10 Potential Impacts to Sensitive Receptors.....	36
3.11 Odors.....	37
3.12 Cumulative Impacts.....	37
4 CONCLUSION	39
5 REFERENCES	41
6 CERTIFICATION	44

APPENDICES

- APPENDIX 3.1: STATE/FEDERAL ATTAINMENT STATUS OF CRITERIA POLLUTANTS
- APPENDIX 3.2: CALEEMOD CONSTRUCTION EMISSIONS MODEL OUTPUTS (UNMITIGATED)
- APPENDIX 3.3: CALEEMOD OPERATIONAL EMISSIONS MODEL OUTPUTS
- APPENDIX 3.4: CALEEMOD CONSTRUCTION EMISSIONS MODEL OUTPUTS (MITIGATED)

LIST OF EXHIBITS

EXHIBIT 1-A: LOCATION MAP5

EXHIBIT 1-B: SITE PLAN6

EXHIBIT 3-A: RECEPTOR LOCATIONS.....30

LIST OF TABLES

TABLE 2-1: AMBIENT AIR QUALITY STANDARDS (1 OF 2).....10

TABLE 2-1: AMBIENT AIR QUALITY STANDARDS (2 OF 2).....11

TABLE 2-2: ATTAINMENT STATUS OF CRITERIA POLLUTANTS IN THE SOUTH COAST AIR BASIN (SCAB) 12

TABLE 2-3: PROJECT AREA AIR QUALITY MONITORING SUMMARY 2014-2016.....13

TABLE 3-1: MAXIMUM DAILY EMISSIONS THRESHOLDS (1 OF 2)21

TABLE 3-1: MAXIMUM DAILY EMISSIONS THRESHOLDS (2 OF 2)22

TABLE 3-3: CONSTRUCTION DURATION.....24

TABLE 3-4: CONSTRUCTION EQUIPMENT ASSUMPTIONS24

TABLE 3-5: EMISSIONS SUMMARY OF CONSTRUCTION.....25

TABLE 3-6: SUMMARY OF PEAK OPERATIONAL EMISSIONS27

TABLE 3-7: MAXIMUM DAILY DISTURBED-ACREAGE31

TABLE 3-8: LOCALIZED SIGNIFICANCE SUMMARY CONSTRUCTION (WITHOUT MITIGATION).....32

TABLE 3-9: LOCALIZED SIGNIFICANCE SUMMARY CONSTRUCTION (WITH MITIGATION)32

TABLE 3-10: CO MODEL RESULTS34

TABLE 3-11: TRAFFIC VOLUMES34

LIST OF ABBREVIATED TERMS

(1)	Reference
µg/m ³	Microgram per Cubic Meter
AADT	Annual Average Daily Trips
AQIA	Air Quality Impact Analysis
AQMD	Air Quality Management District
AQMP	Air Quality Management Plan
ARB	California Air Resources Board
BACM	Best Available Control Measures
BMPs	Best Management Practices
CAA	Federal Clean Air Act
CAAQS	California Ambient Air Quality Standards
CalEEMod	California Emissions Estimator Model
Caltrans	California Department of Transportation
CAPCOA	California Air Pollution Control Officers Association
CARB	California Air Resources Board
CCR	California Code of Regulations
CEQA	California Environmental Quality Act
CFR	Code of Federal Regulations
CO	Carbon Monoxide
DPM	Diesel Particulate Matter
EPA	Environmental Protection Agency
LST	Localized Significance Threshold
NAAQS	National Ambient Air Quality Standards
NO ₂	Nitrogen Dioxide
NO _x	Oxides of Nitrogen
Pb	Lead
PM ₁₀	Particulate Matter 10 microns in diameter or less
PM _{2.5}	Particulate Matter 2.5 microns in diameter or less
PPM	Parts Per Million
Project	Alta Vista
ROG	Reactive Organic Gases
SCAB	South Coast Air Basin
SCAQMD	South Coast Air Quality Management District
SIPs	State Implementation Plans
SRA	Source Receptor Area

TAC	Toxic Air Contaminant
TIA	Traffic Impact Analysis
TOG	Total Organic Gases
VMT	Vehicle Miles Traveled

EXECUTIVE SUMMARY

CONSTRUCTION-SOURCE EMISSIONS

REGIONAL IMPACTS

For regional emissions, the Project would not exceed the numerical thresholds of significance established by the South Coast Air Quality Management District (SCAQMD). Implementation of mitigation measures (MM) AQ-1 and AQ-2 will further emissions to less than significant levels. Thus, a less than significant impact would occur for Project-related construction-source with and without implementation of MM AQ-1 and MM AQ-2.

Localized Impacts

For localized emissions, the Project would not exceed the SCAQMD's localized significance threshold after implementation of applicable mitigation measures. Thus, a less than significant impact would occur.

Project construction-source emissions would not conflict with the applicable Air Quality Management Plan (AQMP).

Odors

Established requirements addressing construction equipment operations, and construction material use, storage, and disposal requirements act to minimize odor impacts that may result from construction activities. Moreover, construction-source odor emissions would be temporary, short-term, and intermittent in nature and would not result in persistent impacts that would affect substantial numbers of people. Potential construction-source odor impacts are therefore considered less-than-significant.

OPERATIONAL-SOURCE EMISSIONS

REGIONAL IMPACTS

For regional emissions, the Project would not exceed thresholds of significance established by the SCAQMD for any criteria pollutant. Implementation of mitigation measures (MM) AQ-1 and AQ-2 will further emissions to less than significant levels. Thus, a less than significant impact would occur for Project-related construction-source with and without implementation of MM AQ-1 and MM AQ-2.

LOCALIZED IMPACTS

Project operational-source emissions would not result in or cause a significant localized air quality impact as discussed in the operational LSTs section of this report. The proposed Project would not result in a significant CO "hotspot" as a result of Project related traffic during ongoing operations.

Project operational-source emissions would not conflict with the applicable AQMP.

ODORS

Substantial odor-generating sources include land uses such as agricultural activities, feedlots, wastewater treatment facilities, landfills or various heavy industrial uses. The Project does not propose any such uses or activities that would result in potentially significant operational-source odor impacts. Potential sources of operational odors generated by the Project would include disposal of miscellaneous refuse. Moreover, SCAQMD Rule 402 acts to prevent occurrences of odor nuisances (1). Consistent with City requirements, all Project-generated refuse would be stored in covered containers and removed at regular intervals in compliance with solid waste regulations. Potential operational-source odor impacts are therefore considered less-than-significant.

1 INTRODUCTION

This report presents the results of the air quality impact analysis (AQIA) prepared by Urban Crossroads, Inc., for the proposed Alta Vista (“Project”). The purpose of this AQIA is to evaluate the potential impacts to air quality associated with construction and operation of the proposed Project and recommend measures to mitigate impacts considered potentially significant in comparison to thresholds established by the South Coast Air Quality Management District (SCAQMD).

1.1 SITE LOCATION

The proposed Alta Vista Project is located on the southeast corner of Rose Drive and Alta Vista Street in the City of Placentia, as shown on Exhibit 1-A. The proposed Project is located approximately two miles east of State Route 57, and roughly 7.5 miles east of the closest airport, Fullerton Municipal Airport.

The Project site is currently vacant. Existing single-family residential uses in the Project study area are located adjacent to the eastern and southern Project site boundaries, and west across Rose Drive. Existing commercial uses and Bridgemark Corporation oil drilling facilities are located north of the Project site across Alta Vista Street. The Placentia Champions Sports Complex and park is located east of the Project site on Alta Vista Street.

1.2 PROJECT DESCRIPTION

The Project is proposed to consist of 10,600 square feet of retail use and up to 54 single-family residential dwelling units, as shown on Exhibit 1-B. For the purposes of this analysis, it has been assumed that the Project will be developed in one phase with an anticipated Opening Year of 2019.

1.3 CONSTRUCTION-SOURCE AIR POLLUTANT EMISSIONS MITIGATION MEASURES

MM AQ-1

During site preparation and grading activity all actively graded areas within the Project site shall be watered at 2.1-hour watering intervals (e.g., 4 times per day) or a movable sprinkler system shall be in place to ensure minimum soil moisture of 12% is maintained for actively graded areas. Moisture content can be verified with use of a moisture probe by the grading contractor.

MM AQ-2

For construction equipment greater than 150 horsepower (>150 HP), the Construction Contractor shall use off-road diesel construction equipment that complies with EPA/CARB Tier 3 emissions standards during all construction phases and will ensure that all construction equipment be tuned and maintained in accordance with the manufacturer’s specifications.

1.4 CONSTRUCTION AND OPERATIONAL-SOURCE AIR POLLUTANT EMISSIONS MITIGATION MEASURES

Project construction and operational-source emissions will be less than significant. Therefore, no mitigation measures are required.

EXHIBIT 1-A: LOCATION MAP



2 AIR QUALITY SETTING

This section provides an overview of the existing air quality conditions in the Project area and region.

2.1 SOUTH COAST AIR BASIN

The Project site is located in the South Coast Air Basin (SCAB) within the jurisdiction of SCAQMD (2). The SCAQMD was created by the 1977 Lewis-Presley Air Quality Management Act, which merged four county air pollution control bodies into one regional district. Under the Act, the SCAQMD is responsible for bringing air quality in areas under its jurisdiction into conformity with federal and state air quality standards. As discussed above, the Project site is located within the South Coast Air Basin, a 6,745-square mile sub-region of the SCAQMD, which includes portions of Los Angeles, Riverside, and San Bernardino Counties, and all of Orange County. The larger South Coast district boundary includes 10,743 square miles.

The SCAB is bound by the Pacific Ocean to the west and the San Gabriel, San Bernardino, and San Jacinto Mountains to the north and east. The Los Angeles County portion of the Mojave Desert Air Basin is bound by the San Gabriel Mountains to the south and west, the Los Angeles / Kern County border to the north, and the Los Angeles / San Bernardino County border to the east. The Riverside County portion of the Salton Sea Air Basin is bound by the San Jacinto Mountains in the west and spans eastward up to the Palo Verde Valley.

2.2 REGIONAL CLIMATE

The regional climate has a substantial influence on air quality in the SCAB. In addition, the temperature, wind, humidity, precipitation, and amount of sunshine influence the air quality.

The annual average temperatures throughout the SCAB vary from the low to middle 60s (degrees Fahrenheit). Due to a decreased marine influence, the eastern portion of the SCAB shows greater variability in average annual minimum and maximum temperatures. January is the coldest month throughout the SCAB, with average minimum temperatures of 47°F in downtown Los Angeles and 36°F in San Bernardino. All portions of the SCAB have recorded maximum temperatures above 100°F.

Although the climate of the SCAB can be characterized as semi-arid, the air near the land surface is quite moist on most days because of the presence of a marine layer. This shallow layer of sea air is an important modifier of SCAB climate. Humidity restricts visibility in the SCAB, and the conversion of sulfur dioxide to sulfates is heightened in air with high relative humidity. The marine layer provides an environment for that conversion process, especially during the spring and summer months. The annual average relative humidity within the SCAB is 71 percent along the coast and 59 percent inland. Since the ocean effect is dominant, periods of heavy early morning fog are frequent and low stratus clouds are a characteristic feature. These effects decrease with distance from the coast.

More than 90 percent of the SCAB's rainfall occurs from November through April. The annual average rainfall varies from approximately nine inches in Riverside to fourteen inches in downtown Los Angeles. Monthly and yearly rainfall totals are extremely variable. Summer rainfall usually consists of widely scattered thunderstorms near the coast and slightly heavier shower activity in the eastern portion of the SCAB with frequency being higher near the coast.

Due to its generally clear weather, about three-quarters of available sunshine is received in the SCAB. The remaining one-quarter is absorbed by clouds. The ultraviolet portion of this abundant radiation is a key factor in photochemical reactions. On the shortest day of the year there are approximately 10 hours of possible sunshine, and on the longest day of the year there are approximately 14 1/2 hours of possible sunshine.

The importance of wind to air pollution is considerable. The direction and speed of the wind determines the horizontal dispersion and transport of the air pollutants. During the late autumn to early spring rainy season, the SCAB is subjected to wind flows associated with the traveling storms moving through the region from the northwest. This period also brings five to ten periods of strong, dry offshore winds, locally termed "Santa Anas" each year. During the dry season, which coincides with the months of maximum photochemical smog concentrations, the wind flow is bimodal, typified by a daytime onshore sea breeze and a nighttime offshore drainage wind. Summer wind flows are created by the pressure differences between the relatively cold ocean and the unevenly heated and cooled land surfaces that modify the general northwesterly wind circulation over southern California. Nighttime drainage begins with the radiational cooling of the mountain slopes. Heavy, cool air descends the slopes and flows through the mountain passes and canyons as it follows the lowering terrain toward the ocean. Another characteristic wind regime in the SCAB is the "Catalina Eddy," a low level cyclonic (counterclockwise) flow centered over Santa Catalina Island which results in an offshore flow to the southwest. On most spring and summer days, some indication of an eddy is apparent in coastal sections.

In the SCAB, there are two distinct temperature inversion structures that control vertical mixing of air pollution. During the summer, warm high-pressure descending (subsiding) air is undercut by a shallow layer of cool marine air. The boundary between these two layers of air is a persistent marine subsidence/inversion. This boundary prevents vertical mixing which effectively acts as an impervious lid to pollutants over the entire SCAB. The mixing height for the inversion structure is normally situated 1,000 to 1,500 feet above mean sea level.

A second inversion-type forms in conjunction with the drainage of cool air off the surrounding mountains at night followed by the seaward drift of this pool of cool air. The top of this layer forms a sharp boundary with the warmer air aloft and creates nocturnal radiation inversions. These inversions occur primarily in the winter, when nights are longer and onshore flow is weakest. They are typically only a few hundred feet above mean sea level. These inversions effectively trap pollutants, such as NOX and CO from vehicles, as the pool of cool air drifts seaward. Winter is therefore a period of high levels of primary pollutants along the coastline.

2.3 WIND PATTERNS AND PROJECT LOCATION

The distinctive climate of the Project area and the SCAB is determined by its terrain and geographical location. The Basin is located in a coastal plain with connecting broad valleys and low hills, bounded by the Pacific Ocean in the southwest quadrant with high mountains forming the remainder of the perimeter.

Wind patterns across the south coastal region are characterized by westerly and southwesterly on-shore winds during the day and easterly or northeasterly breezes at night. Winds are characteristically light although the speed is somewhat greater during the dry summer months than during the rainy winter season.

2.4 EXISTING AIR QUALITY

Existing air quality is measured at established SCAQMD air quality monitoring stations. Monitored air quality is evaluated and in the context of ambient air quality standards. These standards are the levels of air quality that are considered safe, with an adequate margin of safety, to protect the public health and welfare. National Ambient Air Quality Standards (NAAQS) and California Ambient Air Quality Standards (CAAQS) currently in effect are shown in Table 2-1 (3).

The determination of whether a region's air quality is healthful or unhealthful is determined by comparing contaminant levels in ambient air samples to the state and federal standards presented in Table 2-1. The air quality in a region is considered to be in attainment by the state if the measured ambient air pollutant levels for O₃, CO (except 8-hour Lake Tahoe), SO₂, NO₂, PM₁₀, PM_{2.5}, and visible reducing particles are not to be exceeded at any time in any consecutive three-year period; all other values are not to be equaled or exceeded. The air quality in a region is considered to be in attainment by federal standards if the measured ambient air pollutant levels for O₃, PM₁₀, PM_{2.5}, and those based on annual averages or arithmetic mean are not exceeded more than once per year. The O₃ standard is attained when the fourth highest eight-hour concentration in a year, averaged over three years, is equal to or less than the standard. For PM₁₀, the 24-hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 µg/m³ is equal to or less than one. For PM_{2.5}, the 24-hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard.

TABLE 2-1: AMBIENT AIR QUALITY STANDARDS (1 OF 2)

Ambient Air Quality Standards						
Pollutant	Averaging Time	California Standards ¹		National Standards ²		
		Concentration ³	Method ⁴	Primary ^{3,5}	Secondary ^{3,6}	Method ⁷
Ozone (O ₃) ⁸	1 Hour	0.09 ppm (180 µg/m ³)	Ultraviolet Photometry	—	Same as Primary Standard	Ultraviolet Photometry
	8 Hour	0.070 ppm (137 µg/m ³)		0.070 ppm (137 µg/m ³)		
Respirable Particulate Matter (PM ₁₀) ⁹	24 Hour	50 µg/m ³	Gravimetric or Beta Attenuation	150 µg/m ³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	20 µg/m ³		—		
Fine Particulate Matter (PM _{2.5}) ⁹	24 Hour	—	—	35 µg/m ³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	12 µg/m ³	Gravimetric or Beta Attenuation	12.0 µg/m ³		
Carbon Monoxide (CO)	1 Hour	20 ppm (23 mg/m ³)	Non-Dispersive Infrared Photometry (NDIR)	35 ppm (40 mg/m ³)	—	Non-Dispersive Infrared Photometry (NDIR)
	8 Hour	9.0 ppm (10 mg/m ³)		9 ppm (10 mg/m ³)	—	
	8 Hour (Lake Tahoe)	6 ppm (7 mg/m ³)		—	—	
Nitrogen Dioxide (NO ₂) ¹⁰	1 Hour	0.18 ppm (339 µg/m ³)	Gas Phase Chemiluminescence	100 ppb (188 µg/m ³)	—	Gas Phase Chemiluminescence
	Annual Arithmetic Mean	0.030 ppm (57 µg/m ³)		0.053 ppm (100 µg/m ³)	Same as Primary Standard	
Sulfur Dioxide (SO ₂) ¹¹	1 Hour	0.25 ppm (655 µg/m ³)	Ultraviolet Fluorescence	75 ppb (196 µg/m ³)	—	Ultraviolet Fluorescence; Spectrophotometry (Pararosaniline Method)
	3 Hour	—		—	0.5 ppm (1300 µg/m ³)	
	24 Hour	0.04 ppm (105 µg/m ³)		0.14 ppm (for certain areas) ¹¹	—	
	Annual Arithmetic Mean	—		0.030 ppm (for certain areas) ¹¹	—	
Lead ^{12,13}	30 Day Average	1.5 µg/m ³	Atomic Absorption	—	—	High Volume Sampler and Atomic Absorption
	Calendar Quarter	—		1.5 µg/m ³ (for certain areas) ¹²	Same as Primary Standard	
	Rolling 3-Month Average	—		0.15 µg/m ³		
Visibility Reducing Particles ¹⁴	8 Hour	See footnote 14	Beta Attenuation and Transmittance through Filter Tape	No National Standards		
Sulfates	24 Hour	25 µg/m ³	Ion Chromatography			
Hydrogen Sulfide	1 Hour	0.03 ppm (42 µg/m ³)	Ultraviolet Fluorescence			
Vinyl Chloride ¹²	24 Hour	0.01 ppm (26 µg/m ³)	Gas Chromatography			

See footnotes on next page ...

For more information please call ARB-PIO at (916) 322-2990

California Air Resources Board (5/4/16)

TABLE 2-1: AMBIENT AIR QUALITY STANDARDS (2 OF 2)

Ambient Air Quality Standards							
Pollutant	Averaging Time	California Standards ¹		National Standards ²			
		Concentration ³	Method ⁴	Primary ^{3,5}	Secondary ^{3,6}	Method ⁷	
Ozone (O ₃) ⁸	1 Hour	0.09 ppm (180 µg/m ³)	Ultraviolet Photometry	—	Same as Primary Standard	Ultraviolet Photometry	
	8 Hour	0.070 ppm (137 µg/m ³)		0.070 ppm (137 µg/m ³)			
Respirable Particulate Matter (PM ₁₀) ⁹	24 Hour	50 µg/m ³	Gravimetric or Beta Attenuation	150 µg/m ³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis	
	Annual Arithmetic Mean	20 µg/m ³		—			
Fine Particulate Matter (PM _{2.5}) ⁹	24 Hour	—	—	35 µg/m ³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis	
	Annual Arithmetic Mean	12 µg/m ³	Gravimetric or Beta Attenuation	12.0 µg/m ³			15 µg/m ³
Carbon Monoxide (CO)	1 Hour	20 ppm (23 mg/m ³)	Non-Dispersive Infrared Photometry (NDIR)	35 ppm (40 mg/m ³)	—	Non-Dispersive Infrared Photometry (NDIR)	
	8 Hour	9.0 ppm (10 mg/m ³)		9 ppm (10 mg/m ³)			
	8 Hour (Lake Tahoe)	6 ppm (7 mg/m ³)		—			
Nitrogen Dioxide (NO ₂) ¹⁰	1 Hour	0.18 ppm (339 µg/m ³)	Gas Phase Chemiluminescence	100 ppb (188 µg/m ³)	—	Gas Phase Chemiluminescence	
	Annual Arithmetic Mean	0.030 ppm (57 µg/m ³)		0.053 ppm (100 µg/m ³)			Same as Primary Standard
Sulfur Dioxide (SO ₂) ¹¹	1 Hour	0.25 ppm (655 µg/m ³)	Ultraviolet Fluorescence	75 ppb (196 µg/m ³)	—	Ultraviolet Fluorescence; Spectrophotometry (Pararosaniline Method)	
	3 Hour	—		—			0.5 ppm (1300 µg/m ³)
	24 Hour	0.04 ppm (105 µg/m ³)		0.14 ppm (for certain areas) ¹¹			—
	Annual Arithmetic Mean	—		0.030 ppm (for certain areas) ¹¹			—
Lead ^{12,13}	30 Day Average	1.5 µg/m ³	Atomic Absorption	—	—	High Volume Sampler and Atomic Absorption	
	Calendar Quarter	—		1.5 µg/m ³ (for certain areas) ¹²			Same as Primary Standard
	Rolling 3-Month Average	—		0.15 µg/m ³			
Visibility Reducing Particles ¹⁴	8 Hour	See footnote 14	Beta Attenuation and Transmittance through Filter Tape	No National Standards			
Sulfates	24 Hour	25 µg/m ³	Ion Chromatography				
Hydrogen Sulfide	1 Hour	0.03 ppm (42 µg/m ³)	Ultraviolet Fluorescence				
Vinyl Chloride ¹²	24 Hour	0.01 ppm (26 µg/m ³)	Gas Chromatography				

See footnotes on next page ...

For more information please call ARB-PIO at (916) 322-2990

California Air Resources Board (5/4/16)

2.5 REGIONAL AIR QUALITY

The SCAQMD monitors levels of various criteria pollutants at 30 monitoring stations throughout the air district. In 2014, the federal and state ambient air quality standards (NAAQS and CAAQS) were exceeded on one or more days for ozone, PM₁₀, and PM_{2.5} at most monitoring locations (4). No areas of the SCAB exceeded federal or state standards for NO₂, SO₂, CO, sulfates or lead. See Table 2-2 for attainment designations for the SCAB (5). Appendix 3.1 provides geographic representation of the state and federal attainment status for applicable criteria pollutants within the SCAB.

TABLE 2-2: ATTAINMENT STATUS OF CRITERIA POLLUTANTS IN THE SOUTH COAST AIR BASIN (SCAB)

Criteria Pollutant	State Designation	Federal Designation
Ozone – 1 hour standard	Nonattainment	No Standard
Ozone - 8 hour standard	Nonattainment	Nonattainment (Extreme)
PM ₁₀	Nonattainment	Attainment (Maintenance*)
PM _{2.5}	Nonattainment	Nonattainment (Serious)
Carbon Monoxide	Attainment	Attainment (Maintenance*)
Nitrogen Dioxide	Attainment	Attainment (Maintenance*)
Sulfur Dioxide	Attainment	Attainment
Lead ¹	Attainment	Nonattainment (Partial)

Source: State/Federal designations were taken from <http://www.arb.ca.gov/degis/adm/adm.htm>

Note: See Appendix 3.1 for a detailed map of State/National Area Designations within the South Coast Air Basin

2.6 LOCAL AIR QUALITY

Relative to the Project site, the nearest long-term air quality monitoring site for Ozone (O₃), Carbon Monoxide (CO), Nitrogen Dioxide (NO₂), Particulate Matter ≤ 10 Microns (PM₁₀), and Ultra-Fine Particulates (PM_{2.5}) is the South Coast Air Quality Management District Central Orange County monitoring station (SRA 17), located approximately 6.07 miles southwest of the Project site.

The most recent three (3) years of data available is shown on Table 2-3 and identifies the number of days ambient air quality standards were exceeded for the study area, which is was considered to be representative of the local air quality at the Project site (6). Additionally, data for SO₂ has been omitted as attainment is regularly met in the South Coast Air Basin and few monitoring stations measure SO₂ concentrations.

¹ The Federal nonattainment designation for lead is only applicable towards the Los Angeles County portion of the SCAB.

TABLE 2-3: PROJECT AREA AIR QUALITY MONITORING SUMMARY 2014-2016

POLLUTANT	STANDARD	YEAR		
		2014	2015	2016
Ozone (O ₃)				
Maximum 1-Hour Concentration (ppm)		0.111	0.100	0.103
Maximum 8-Hour Concentration (ppm)		0.081	0.080	0.074
Number of Days Exceeding State 1-Hour Standard	> 0.09 ppm	2	1	2
Number of Days Exceeding State 8-Hour Standard	> 0.07 ppm	6	1	4
Number of Days Exceeding Federal 8-Hour Standard	> 0.070 ppm	6	1	4
Number of Days Exceeding Health Advisory	≥ 0.15 ppm	--	--	--
Carbon Monoxide (CO)				
Maximum 1-Hour Concentration (ppm)		3	3.1	2.6
Maximum 8-Hour Concentration (ppm)		2.1	2.2	2.1
Number of Days Exceeding Federal 1-Hour Standard	> 35 ppm	--	--	--
Nitrogen Dioxide (NO ₂)				
Maximum 1-Hour Concentration (ppm)		0.076	0.059	0.064
Annual Arithmetic Mean Concentration (ppm)		0.015	0.015	0.015
Number of Days Exceeding State 1-Hour Standard	> 0.18 ppm	0	0	0
Particulate Matter ≤ 10 Microns (PM ₁₀)				
Maximum 24-Hour Concentration (µg/m ³)		122	66	74
Annual Arithmetic Mean (µg/m ³)		26.3	24.8	24.4
Number of Samples		364	364	353
Number of Samples Exceeding State Standard	> 50 µg/m ³	12	11	3
Number of Samples Exceeding Federal Standard	> 150 µg/m ³	0	0	0
Particulate Matter ≤ 2.5 Microns (PM _{2.5})				
Maximum 24-Hour Concentration (µg/m ³)		56.2	45.8	44.5
Annual Arithmetic Mean (µg/m ³)		10.53	9.38	9.47
Number of Samples Exceeding Federal 24-Hour Standard	> 35 µg/m ³	6	3	1

-- = data not available from SCAQMD or ARB

Criteria pollutants are pollutants that are regulated through the development of human health based and/or environmentally based criteria for setting permissible levels. Criteria pollutants, their typical sources, and effects are identified below (7):

- Carbon Monoxide (CO): Is a colorless, odorless gas produced by the incomplete combustion of carbon-containing fuels, such as gasoline or wood. CO concentrations tend to be the highest during the winter morning, when little to no wind and surface-based inversions trap the pollutant at ground levels. Because CO is emitted directly from internal combustion engines, unlike ozone, motor vehicles operating at slow speeds are the primary source of CO in the Basin. The highest

ambient CO concentrations are generally found near congested transportation corridors and intersections.

- Sulfur Dioxide (SO₂): Is a colorless, extremely irritating gas or liquid. It enters the atmosphere as a pollutant mainly as a result of burning high sulfur-content fuel oils and coal and from chemical processes occurring at chemical plants and refineries. When SO₂ oxidizes in the atmosphere, it forms sulfates (SO₄). Collectively, these pollutants are referred to as sulfur oxides (SOX).
- Nitrogen Oxides (Oxides of Nitrogen, or NO_x): Nitrogen oxides (NO_x) consist of nitric oxide (NO), nitrogen dioxide (NO₂) and nitrous oxide (N₂O) and are formed when nitrogen (N₂) combines with oxygen (O₂). Their lifespan in the atmosphere ranges from one to seven days for nitric oxide and nitrogen dioxide, to 170 years for nitrous oxide. Nitrogen oxides are typically created during combustion processes, and are major contributors to smog formation and acid deposition. NO₂ is a criteria air pollutant, and may result in numerous adverse health effects; it absorbs blue light, resulting in a brownish-red cast to the atmosphere and reduced visibility. Of the seven types of nitrogen oxide compounds, NO₂ is the most abundant in the atmosphere. As ambient concentrations of NO₂ are related to traffic density, commuters in heavy traffic may be exposed to higher concentrations of NO₂ than those indicated by regional monitors.
- Ozone (O₃): Is a highly reactive and unstable gas that is formed when volatile organic compounds (VOCs) and nitrogen oxides (NO_x) undergo slow photochemical reactions in the presence of sunlight. Ozone concentrations are generally highest during the summer months when direct sunlight, light wind, and warm temperature conditions are favorable to the formation of this pollutant.
- PM₁₀ (Particulate Matter less than 10 microns): A major air pollutant consisting of tiny solid or liquid particles of soot, dust, smoke, fumes, and aerosols. The size of the particles (10 microns or smaller, about 0.0004 inches or less) allows them to easily enter the lungs where they may be deposited, resulting in adverse health effects. PM₁₀ also causes visibility reduction and is a criteria air pollutant.
- PM_{2.5} (Particulate Matter less than 2.5 microns): A similar air pollutant consisting of tiny solid or liquid particles which are 2.5 microns or smaller (which is often referred to as fine particles). These particles are formed in the atmosphere from primary gaseous emissions that include sulfates formed from SO₂ release from power plants and industrial facilities and nitrates that are formed from NO_x release from power plants, automobiles and other types of combustion sources. The chemical composition of fine particles highly depends on location, time of year, and weather conditions. PM_{2.5} is a criteria air pollutant.
- Volatile Organic Compounds (VOC): Volatile organic compounds are hydrocarbon compounds (any compound containing various combinations of hydrogen and carbon atoms) that exist in the ambient air. VOCs contribute to the formation of smog through atmospheric photochemical reactions and/or may be toxic. Compounds of carbon (also known as organic compounds) have different levels of reactivity; that is, they do not react at the same speed or do not form ozone to the same extent when exposed to photochemical processes. VOCs often have an odor, and some examples include gasoline, alcohol, and the solvents used in paints. Exceptions to the VOC designation include: carbon monoxide, carbon dioxide, carbonic acid, metallic carbides or carbonates, and ammonium carbonate. VOCs are a precursor to O₃, which is a criteria pollutant. The SCAQMD uses the terms VOC and ROG (see below) interchangeably.

- Reactive Organic Gases (ROG): Similar to VOC, Reactive Organic Gases (ROG) are also precursors in forming ozone. Smog is formed when ROG and nitrogen oxides react in the presence of sunlight. The SCAQMD uses the terms ROG and VOC (see previous) interchangeably.
- Lead (Pb): Lead is a heavy metal that is highly persistent in the environment. In the past, the primary source of lead in the air was emissions from vehicles burning leaded gasoline. As a result of the removal of lead from gasoline, there have been no violations at any of the SCAQMD's regular air monitoring stations since 1982. Currently, emissions of lead are largely limited to stationary sources such as lead smelters. It should be noted that the Project is not anticipated to generate a quantifiable amount of lead emissions. Lead is a criteria air pollutant.

Health Effects of Air Pollutants

Ozone

Individuals exercising outdoors, children, and people with preexisting lung disease, such as asthma and chronic pulmonary lung disease, are considered to be the most susceptible subgroups for ozone effects. Short-term exposure (lasting for a few hours) to ozone at levels typically observed in Southern California can result in breathing pattern changes, reduction of breathing capacity, increased susceptibility to infections, inflammation of the lung tissue, and some immunological changes. Elevated ozone levels are associated with increased school absences. In recent years, a correlation between elevated ambient ozone levels and increases in daily hospital admission rates, as well as mortality, has also been reported. An increased risk for asthma has been found in children who participate in multiple sports and live in communities with high ozone levels.

Ozone exposure under exercising conditions is known to increase the severity of the responses described above. Animal studies suggest that exposure to a combination of pollutants that includes ozone may be more toxic than exposure to ozone alone. Although lung volume and resistance changes observed after a single exposure diminish with repeated exposures, biochemical and cellular changes appear to persist, which can lead to subsequent lung structural changes.

Carbon Monoxide

Individuals with a deficient blood supply to the heart are the most susceptible to the adverse effects of CO exposure. The effects observed include earlier onset of chest pain with exercise, and electrocardiograph changes indicative of decreased oxygen supply to the heart. Inhaled CO has no direct toxic effect on the lungs, but exerts its effect on tissues by interfering with oxygen transport and competing with oxygen to combine with hemoglobin present in the blood to form carboxyhemoglobin (COHb). Hence, conditions with an increased demand for oxygen supply can be adversely affected by exposure to CO. Individuals most at risk include fetuses, patients with diseases involving heart and blood vessels, and patients with chronic hypoxemia (oxygen deficiency) as seen at high altitudes.

Reduction in birth weight and impaired neurobehavioral development have been observed in animals chronically exposed to CO, resulting in COHb levels similar to those observed in smokers.

Recent studies have found increased risks for adverse birth outcomes with exposure to elevated CO levels; these include pre-term births and heart abnormalities.

Particulate Matter

A consistent correlation between elevated ambient fine particulate matter (PM10 and PM2.5) levels and an increase in mortality rates, respiratory infections, number and severity of asthma attacks and the number of hospital admissions has been observed in different parts of the United States and various areas around the world. In recent years, some studies have reported an association between long-term exposure to air pollution dominated by fine particles and increased mortality, reduction in life-span, and an increased mortality from lung cancer.

Daily fluctuations in PM2.5 concentration levels have also been related to hospital admissions for acute respiratory conditions in children, to school and kindergarten absences, to a decrease in respiratory lung volumes in normal children, and to increased medication use in children and adults with asthma. Recent studies show lung function growth in children is reduced with long-term exposure to particulate matter.

The elderly, people with pre-existing respiratory or cardiovascular disease, and children appear to be more susceptible to the effects of high levels of PM10 and PM2.5.

Nitrogen Dioxide

Population-based studies suggest that an increase in acute respiratory illness, including infections and respiratory symptoms in children (not infants), is associated with long-term exposure to NO₂ at levels found in homes with gas stoves, which are higher than ambient levels found in Southern California. Increase in resistance to air flow and airway contraction is observed after short-term exposure to NO₂ in healthy subjects. Larger decreases in lung functions are observed in individuals with asthma or chronic obstructive pulmonary disease (e.g., chronic bronchitis, emphysema) than in healthy individuals, indicating a greater susceptibility of these sub-groups.

In animals, exposure to levels of NO₂ considerably higher than ambient concentrations results in increased susceptibility to infections, possibly due to the observed changes in cells involved in maintaining immune functions. The severity of lung tissue damage associated with high levels of ozone exposure increases when animals are exposed to a combination of ozone and NO₂.

Sulfur Dioxide

A few minutes of exposure to low levels of SO₂ can result in airway constriction in some asthmatics, all of whom are sensitive to its effects. In asthmatics, increase in resistance to air flow, as well as reduction in breathing capacity leading to severe breathing difficulties, are observed after acute exposure to SO₂. In contrast, healthy individuals do not exhibit similar acute responses even after exposure to higher concentrations of SO₂.

Animal studies suggest that despite SO₂ being a respiratory irritant, it does not cause substantial lung injury at ambient concentrations. However, very high levels of exposure can cause lung edema (fluid accumulation), lung tissue damage, and sloughing off of cells lining the respiratory tract.

Some population-based studies indicate that the mortality and morbidity effects associated with fine particles show a similar association with ambient SO₂ levels. In these studies, efforts to separate the effects of SO₂ from those of fine particles have not been successful. It is not clear whether the two pollutants act synergistically or one pollutant alone is the predominant factor.

Lead

Fetuses, infants, and children are more sensitive than others to the adverse effects of Pb exposure. Exposure to low levels of Pb can adversely affect the development and function of the central nervous system, leading to learning disorders, distractibility, inability to follow simple commands, and lower intelligence quotient. In adults, increased Pb levels are associated with increased blood pressure.

Pb poisoning can cause anemia, lethargy, seizures, and death; although it appears that there are no direct effects of Pb on the respiratory system. Pb can be stored in the bone from early age environmental exposure, and elevated blood Pb levels can occur due to breakdown of bone tissue during pregnancy, hyperthyroidism (increased secretion of hormones from the thyroid gland) and osteoporosis (breakdown of bony tissue). Fetuses and breast-fed babies can be exposed to higher levels of Pb because of previous environmental Pb exposure of their mothers.

Odors

The science of odor as a health concern is still new. Merely identifying the hundreds of VOCs that cause odors poses a big challenge. Offensive odors can potentially affect human health in several ways. First, odorant compounds can irritate the eye, nose, and throat, which can reduce respiratory volume. Second, studies have shown that the VOCs that cause odors can stimulate sensory nerves to cause neurochemical changes that might influence health, for instance, by compromising the immune system. Finally, unpleasant odors can trigger memories or attitudes linked to unpleasant odors, causing cognitive and emotional effects such as stress.

2.7 REGULATORY BACKGROUND

2.7.1 FEDERAL REGULATIONS

The U.S. EPA is responsible for setting and enforcing the NAAQS for O₃, CO, NO_x, SO₂, PM₁₀, PM_{2.5}, and lead (3). The U.S. EPA has jurisdiction over emissions sources that are under the authority of the federal government including aircraft, locomotives, and emissions sources outside state waters (Outer Continental Shelf). The U.S. EPA also establishes emission standards for vehicles sold in states other than California. Automobiles sold in California must meet the stricter emission requirements of the CARB.

The Federal Clean Air Act (CAA) was first enacted in 1955, and has been amended numerous times in subsequent years (1963, 1965, 1967, 1970, 1977, and 1990). The CAA establishes the federal air quality standards, the NAAQS, and specifies future dates for achieving compliance (8). The CAA also mandates that states submit and implement State Implementation Plans (SIPs) for local areas not meeting these standards. These plans must include pollution control measures that demonstrate how the standards will be met.

The 1990 amendments to the CAA that identify specific emission reduction goals for areas not meeting the NAAQS require a demonstration of reasonable further progress toward attainment and incorporate additional sanctions for failure to attain or to meet interim milestones. The sections of the CAA most directly applicable to the development of the Project site include Title I (Non-Attainment Provisions) and Title II (Mobile Source Provisions). Title I provisions were established with the goal of attaining the NAAQS for the following criteria pollutants O₃, NO₂, SO₂, PM₁₀, CO, PM_{2.5}, and lead. The NAAQS were amended in July 1997 to include an additional standard for O₃ and to adopt a NAAQS for PM_{2.5}. Table 2-1 (previously presented) provides the NAAQS within the basin.

Mobile source emissions are regulated in accordance with Title II provisions. These provisions require the use of cleaner burning gasoline and other cleaner burning fuels such as methanol and natural gas. Automobile manufacturers are also required to reduce tailpipe emissions of hydrocarbons and nitrogen oxides (NO_x). NO_x is a collective term that includes all forms of nitrogen oxides (NO, NO₂, NO₃) which are emitted as byproducts of the combustion process.

2.7.2 CALIFORNIA REGULATIONS

The CARB, which became part of the California EPA in 1991, is responsible for ensuring implementation of the California Clean Air Act (AB 2595), responding to the federal CAA, and for regulating emissions from consumer products and motor vehicles. The California CAA mandates achievement of the maximum degree of emissions reductions possible from vehicular and other mobile sources in order to attain the state ambient air quality standards by the earliest practical date. The CARB established the CAAQS for all pollutants for which the federal government has NAAQS and, in addition, establishes standards for sulfates, visibility, hydrogen sulfide, and vinyl chloride. However at this time, hydrogen sulfide and vinyl chloride are not measured at any monitoring stations in the SCAB because they are not considered to be a regional air quality problem. Generally, the CAAQS are more stringent than the NAAQS (9) (3).

Local air quality management districts, such as the SCAQMD, regulate air emissions from commercial and light industrial facilities. All basins have been formally designated as attainment or non-attainment for each CAAQS.

Non-attainment areas are required to prepare air quality management plans that include specified emission reduction strategies in an effort to meet clean air goals. These plans are required to include:

- Application of Best Available Retrofit Control Technology to existing sources;
- Developing control programs for area sources (e.g., architectural coatings and solvents) and indirect sources (e.g. motor vehicle use generated by residential and commercial development);
- A District permitting system designed to allow no net increase in emissions from any new or modified permitted sources of emissions;
- Implementing reasonably available transportation control measures and assuring a substantial reduction in growth rate of vehicle trips and miles traveled;
- Significant use of low emissions vehicles by fleet operators;

- Sufficient control strategies to achieve a five percent or more annual reduction in emissions or 15 percent or more in a period of three years for ROG, NO_x, CO and PM₁₀. However, air basins may use alternative emission reduction strategy that achieves a reduction of less than five percent per year under certain circumstances.

2.7.3 AIR QUALITY MANAGEMENT PLANNING

Currently, the NAAQS and CAAQS are exceeded in most parts of the SCAB. In regards to the NAAQS, the Project region within the SCAB is in nonattainment for ozone (8-hour) and PM_{2.5}. For the CAAQS, the Project region within the SCAB is in nonattainment for ozone (1-hour and 8-hour), PM₁₀, and PM_{2.5}. In response, the SCAQMD has adopted a series of Air Quality Management Plans (AQMPs) to meet the state and federal ambient air quality standards (7). AQMPs are updated regularly in order to more effectively reduce emissions, accommodate growth, and to minimize any negative fiscal impacts of air pollution control on the economy. A detailed discussion on the AQMP and Project consistency with the AQMP is provided in Section 3.9.

2.8 EXISTING PROJECT SITE AIR QUALITY CONDITIONS

Existing air quality conditions at the Project site would generally reflect ambient monitored conditions as presented previously at Table 2-3.

This page intentionally left blank

3 PROJECT AIR QUALITY IMPACT

3.1 INTRODUCTION

The Project has been evaluated to determine if it will violate an air quality standard or contribute to an existing or projected air quality violation. Additionally, the Project has been evaluated to determine if it will result in a cumulatively considerable net increase of a criteria pollutant for which the SCAB is non-attainment under an applicable federal or state ambient air quality standard. The significance of these potential impacts is described in the following section.

3.2 STANDARDS OF SIGNIFICANCE

The SCAQMD has developed regional and localized significance thresholds for regulated pollutants, as summarized at Table 3-1 (10). The SCAQMD's CEQA Air Quality Significance Thresholds (March 2015) indicate that any projects in the SCAB with daily emissions that exceed any of the indicated thresholds should be considered as having an individually and cumulatively significant air quality impact.

TABLE 3-1: MAXIMUM DAILY EMISSIONS THRESHOLDS (1 OF 2)

Pollutant	Construction	Operations
Regional Thresholds		
NOx	100 lbs/day	55 lbs/day
VOC	75 lbs/day	55 lbs/day
PM10	150 lbs/day	150 lbs/day
PM2.5	55 lbs/day	55 lbs/day
Sox	150 lbs/day	150 lbs/day
CO	550 lbs/day	550 lbs/day
Lead	3 lbs/day	3 lbs/day

TABLE 3-1: MAXIMUM DAILY EMISSIONS THRESHOLDS (2 OF 2)

Pollutant	Construction	Operations
Localized Thresholds		
NO _x	184 lbs/day (site preparation)	N/A
	159 lbs/day (grading)	N/A
CO	1,037 lbs/day (site preparation)	N/A
	854 lbs/day (grading)	N/A
PM ₁₀	9 lbs/day (site preparation)	N/A
	7 lbs/day (grading)	N/A
PM _{2.5}	5 lbs/day (site preparation)	N/A
	4 lbs/day (grading)	N/A

Note: lbs/day = pounds per day.

3.3 PROJECT-RELATED SOURCES OF POTENTIAL IMPACT

Land uses such as the Project affect air quality through construction-source and operational-source emissions.

On October 17, 2017, the SCAQMD in conjunction with the California Air Pollution Control Officers Association (CAPCOA) and other California air districts, released the latest version of the California Emissions Estimator Model™ (CalEEMod™) v2016.3.2. The purpose of this model is to calculate construction-source and operational-source criteria pollutant (NO_x, VOC, PM₁₀, PM_{2.5}, SO_x, and CO) and greenhouse gas (GHG) emissions from direct and indirect sources; and quantify applicable air quality and GHG reductions achieved from mitigation measures (11). Accordingly, the latest version of CalEEMod™ has been used for this Project to determine construction and operational air quality emissions. Output from the model runs for both construction and operational activity are provided in Appendix 3.2 through 3.4.

3.4 CONSTRUCTION EMISSIONS

Construction activities associated with the Project will result in emissions of CO, VOCs, NO_x, SO_x, PM₁₀, and PM_{2.5}. Construction related emissions are expected from the following construction activities:

- Site Preparation
- Grading
- Building Construction
- Paving
- Architectural Coating
- Construction Workers Commuting

Construction is expected to commence in January 2018 and will last through February 2019. Construction duration by phase is shown on Table 3-3. The construction schedule utilized in the analysis represents a “worst-case” analysis scenario should construction occur any time after the respective dates since emission factors for construction decrease as time passes and the analysis year increases due to emission regulations becoming more stringent.² The duration of construction activity and associated equipment represents a reasonable approximation of the expected construction fleet as required per CEQA guidelines. Site specific construction fleet may vary due to specific project needs at the time of construction. The duration of construction activity was based on CalEEMod model defaults/coordination with the applicant and a 2019 opening year. The associated construction equipment was generally based on CalEEMod 2016.3.2 defaults. Please refer to specific detailed modeling inputs/outputs contained in Appendix 3.2 of this analysis. A detailed summary of construction equipment assumptions by phase is provided at Table 3-4.

Dust is typically a major concern during rough grading activities. Because such emissions are not amenable to collection and discharge through a controlled source, they are called “fugitive emissions”. Fugitive dust emissions rates vary as a function of many parameters (soil silt, soil moisture, wind speed, area disturbed, number of vehicles, depth of disturbance or excavation, etc.). The CalEEMod model was utilized to calculate fugitive dust emissions resulting from this phase of activity. It is our understanding the Project site will balance (will not require soil import/export). The Project site is currently vacant, therefore, no demolition is required.

Construction emissions for construction worker vehicles traveling to and from the Project site, as well as vendor trips (construction materials delivered to the Project site) were estimated based on information CalEEMod model defaults.

OFF-SITE UTILITY AND INFRASTRUCTURE IMPROVEMENTS

Construction emissions associated with off-site utility and infrastructure improvements may occur, however at this time, a specific schedule of off-site utility and infrastructure improvements is unknown. However, impacts associated with these expected activities are not expected to exceed the emissions identified for project-related construction activities. As such, no impacts beyond what has already been identified in this report are expected to occur.

² As shown in the California Emissions Estimator Model (CalEEMod) User’s Guide Version 2013.2, Table 3.4 “OFFROAD Equipment Emission Factors” as the analysis year increases, emission factors for the same equipment pieces decrease due to the natural turnover of older equipment being replaced by newer less polluting equipment and new regulatory requirements.

TABLE 3-3: CONSTRUCTION DURATION

Phase Name	Start Date	End Date	Days
Site Preparation	01/01/2018	01/12/2018	10
Grading	01/13/2018	02/09/2018	20
Building Construction	02/10/2018	12/28/2018	230
Paving	12/29/2018	01/25/2019	20
Architectural Coatings	01/26/2019	02/22/2019	20

TABLE 3-4: CONSTRUCTION EQUIPMENT ASSUMPTIONS

Activity	Equipment	Number	Hours Per Day
Site Preparation	Rubber Tired Dozers	3	8
	Crawler Tractors	4	8
Graders	Excavators	1	8
	Graders	1	8
	Rubber Tired Dozers	1	8
	Crawler Tractors	3	8
Building Construction	Cranes	1	8
	Forklifts	3	8
	Generator Sets	1	8
	Crawler Tractors	3	8
	Welders	1	8
Paving	Pavers	2	8
	Paving Equipment	2	8
	Rollers	2	8
Architectural Coating	Air Compressors	1	8

3.4.1 CONSTRUCTION EMISSIONS SUMMARY

SCAQMD Rules that are currently applicable during construction activity for this Project include but are not limited to: Rule 1403 (Asbestos); Rule 1113 (Architectural Coatings) (12); Rule 431.2 (Low Sulfur Fuel) (13); Rule 403 (Fugitive Dust) (14); and Rule 1186 / 1186.1 (Street Sweepers) (15). It should be noted that Best Available Control Measures (BACMs) are not mitigation as they are standard regulatory requirements. As such, credit for BACMs AQ-1 (Rule 403) and AQ-2 (Rule 1113) have been taken.

Impacts without Mitigation

The estimated maximum daily construction emissions without mitigation are summarized on Table 3-5. Detailed construction model outputs are presented in Appendix 3.2. Under the assumed scenarios, emissions resulting from the Project construction would not exceed the applicable SCAQMD regional thresholds of significance for any criteria pollutant. Therefore, a less than significant impact would occur and no mitigation is required for regional emissions.

TABLE 3-5: EMISSIONS SUMMARY OF CONSTRUCTION

Year	Emissions (pounds per day)					
	VOC	NOx	CO	SOx	PM10	PM2.5
2018	6.17	71.77	24.58	0.06	23.51	13.08
2019	44.14	15.30	15.27	0.02	0.99	0.80
Maximum Daily Emissions	44.14	71.77	24.58	0.06	23.51	13.08
SCAQMD Regional Threshold	75	100	550	150	150	55
Threshold Exceeded?	NO	NO	NO	NO	NO	NO

3.5 OPERATIONAL EMISSIONS

Operational activities associated with the proposed Project will result in emissions of VOC, NOX, CO, SOX, PM10, and PM2.5. Operational emissions would be expected from the following primary sources:

- Area Source Emissions
- Energy Source Emissions
- Mobile Source Emissions

3.5.1 AREA SOURCE EMISSIONS

Architectural Coatings

Over a period of time the buildings that are part of this Project will be subject to emissions resulting from the evaporation of solvents contained in paints, varnishes, primers, and other surface coatings as part of Project maintenance. The emissions associated with architectural coatings were calculated using the CalEEMod model.

Consumer Products

Consumer products include, but are not limited to detergents, cleaning compounds, polishes, personal care products, and lawn and garden products. Many of these products contain organic compounds which when released in the atmosphere can react to form ozone and other photochemically reactive pollutants. The emissions associated with use of consumer products were calculated based on assumptions provided in the CalEEMod model. In the case of the commercial uses proposed by the Project, no substantive on-site use of consumer products is anticipated.

Landscape Maintenance Equipment

Landscape maintenance equipment would generate emissions from fuel combustion and evaporation of unburned fuel. Equipment in this category would include lawnmowers, shredders/grinders, blowers, trimmers, chain saws, and hedge trimmers used to maintain the landscaping of the Project. The emissions associated with landscape maintenance equipment were calculated based on assumptions provided in the CalEEMod model.

3.5.2 ENERGY SOURCE EMISSIONS

Combustion Emissions Associated with Natural Gas and Electricity

Electricity and natural gas are used by almost every project. Criteria pollutant emissions are emitted through the generation of electricity and consumption of natural gas. However, because electrical generating facilities for the Project area are located either outside the region (state) or offset through the use of pollution credits (RECLAIM) for generation within the SCAB, criteria pollutant emissions from offsite generation of electricity is generally excluded from the evaluation of significance and only natural gas use is considered. The emissions associated with natural gas use were calculated using the CalEEMod model.

3.5.3 MOBILE SOURCE EMISSIONS

Vehicles

Project-related operational air quality impacts derive primarily from vehicle trips generated by the Project. Trip characteristics based on CalEEMod defaults were used in the analysis.

Fugitive Dust Related to Vehicular Travel

Vehicles traveling on paved roads would be a source of fugitive emissions due to the generation of road dust inclusive of tire wear particulates. The emissions estimates for travel on paved roads were calculated using the CalEEMod model.

It should be noted that due to the retail portion of the Project, the Project's location, residential land uses included in the Project and those located within a 1 to 2-mile radius of the Project site, and other coffee stops and retail uses located in the project vicinity, an average trip length for customers of 3 miles was used for the retail component in the assessment as opposed to the 8.4-mile model default trip length value. Additionally, 96% of all trips are assumed to be customer trips, 3% of all trips are assumed to be workers, and 1% of all trips are assumed to be other trips. It should be noted that CalEEMod defaults were used for residential uses.

3.5.4 OPERATIONAL EMISSIONS SUMMARY

The estimated maximum peak operational emissions are summarized on Table 3-6. Detailed construction model outputs are presented in Appendix 3.3. Under the assumed scenarios, emissions resulting from the Project construction would not exceed the applicable SCAQMD regional thresholds of significance for any criteria pollutant. Therefore, a less than significant impact would occur and no mitigation is required for regional emissions.

TABLE 3-6: SUMMARY OF PEAK OPERATIONAL EMISSIONS

Operational Activities – Summer Scenario	Emissions (pounds per day)					
	VOC	NO _x	CO	SO _x	PM ₁₀	PM _{2.5}
Area Source	4.61	1.16	18.09	0.05	2.26	2.26
Energy Source	0.12	1.09	0.77	0.01	0.08	0.08
Mobile	7.28	28.54	51.76	0.13	8.73	2.44
Total Maximum Daily Emissions	12.01	30.79	70.62	0.19	11.07	4.78
SCAQMD Regional Threshold	55	55	550	150	150	55
Threshold Exceeded?	NO	NO	NO	NO	NO	NO

Operational Activities – Winter Scenario	Emissions (pounds per day)					
	VOC	NO _x	CO	SO _x	PM ₁₀	PM _{2.5}
Area Source	4.61	1.16	18.09	0.05	2.26	2.26
Energy Source	0.12	1.09	0.77	0.01	0.08	0.08
Mobile	6.91	28.47	52.86	0.12	8.73	2.44
Total Maximum Daily Emissions	11.64	30.73	71.72	0.18	11.07	2.44
SCAQMD Regional Threshold	55	55	550	150	150	55
Threshold Exceeded?	NO	NO	NO	NO	NO	NO

3.6 LOCALIZED SIGNIFICANCE - CONSTRUCTION ACTIVITY

BACKGROUND ON LOCALIZED SIGNIFICANCE THRESHOLDS (LSTs)

The analysis makes use of methodology included in the SCAQMD *Final Localized Significance Threshold Methodology* (Methodology) (16). The SCAQMD has established that impacts to air quality are significant if there is a potential to contribute or cause localized exceedances of the federal and/or state ambient air quality standards (NAAQS/CAAQS). Collectively, these are referred to as Localized Significance Thresholds (LSTs).

The significance of localized emissions impacts depends on whether ambient levels in the vicinity of any given project are above or below State standards. In the case of CO and NO₂, if ambient levels are below the standards, a project is considered to have a significant impact if project emissions result in an exceedance of one or more of these standards. For the nonattainment pollutants PM₁₀ and PM_{2.5}, background ambient concentrations already exceed state and/or federal standards. LSTs for PM₁₀ and PM_{2.5} are therefore based on SCAQMD Rules 403/1303 (construction-source/operational-source emissions respectively) and are established as an allowable change in concentration. Background concentrations are irrelevant.

The SCAQMD established LSTs in response to the SCAQMD Governing Board's Environmental Justice Initiative I-4. LSTs represent the maximum emissions from a project that will not cause or contribute to an exceedance of the most stringent applicable federal or state ambient air quality standard at the nearest residence or sensitive receptor. The SCAQMD states that lead agencies can use the LSTs as another indicator of significance in its air quality impact analyses. The analysis

makes use of methodology included in the SCAQMD *Final Localized Significance Threshold Methodology* (17). For this Project, the appropriate Source Receptor Area (SRA) for the LST analysis is the North Orange County monitoring station (SRA 16). LSTs apply to carbon monoxide (CO), nitrogen dioxide (NO₂), particulate matter ≤ 10 microns (PM₁₀), and particulate matter ≤ 2.5 microns (PM_{2.5}).

EMISSIONS CONSIDERED

SCAQMD's Methodology clearly states that "off-site mobile emissions from the Project should NOT be included in the emissions compared to LSTs (18)." Therefore, for purposes of the construction LST analysis only emissions included in the CalEEMod "on-site" emissions outputs were considered.

APPLICABILITY OF LSTs FOR THE PROJECT

For this Project, the appropriate Source Receptor Area (SRA) for the LST is the North Orange County monitoring station (SRA 16). LSTs apply to carbon monoxide (CO), nitrogen dioxide (NO₂), particulate matter ≤ 10 microns (PM₁₀), and particulate matter ≤ 2.5 microns (PM_{2.5}). The SCAQMD produced look-up tables for projects less than or equal to 5 acres in size.

In order to determine the appropriate methodology for determining localized impacts that could occur as a result of Project-related construction, the following process is undertaken:

- CalEEMod is utilized to determine the maximum daily on-site emissions that will occur during construction activity.
- The SCAQMD's Fact Sheet for Applying CalEEMod to Localized Significance Thresholds (19) is used to determine the maximum site acreage that is actively disturbed based on the construction equipment fleet and equipment hours as estimated in CalEEMod.
- If the total acreage disturbed is less than or equal to five acres per day, then the SCAQMD's screening look-up tables are utilized to determine if a Project has the potential to result in a significant impact. The look-up tables establish a maximum daily emissions threshold in pounds per day that can be compared to CalEEMod outputs.
- For projects that exceed 5 acres, the 5-acre LST look-up values can be used as a screening tool to determine which pollutants require detailed analysis.³ This approach is conservative as it assumes that all on-site emissions would occur within a 5-acre area and would over predict potential localized impacts (i.e., more pollutant emissions occurring within a smaller area and within closer proximity to potential sensitive receptors). If the project exceeds the LST look-up values, then the SCAQMD recommends that project specific air quality modeling be performed.

SENSITIVE RECEPTORS

Some people are especially sensitive to air pollution and are given special consideration when evaluating air quality impacts from projects. These groups of people include children, the elderly, persons with preexisting respiratory or cardiovascular illness, and athletes and others who

³ Personal communication with Mr. Ian MacMillan, November 17, 2011

engage in frequent exercise. Structures that house these persons or places where they gather to exercise are defined as “sensitive receptors”.

Sensitive receptors near the Project site include existing residential homes and the Placentia Champions Sports Complex and park, as described below and as shown on Exhibit 3-A. The closest sensitive receptor locations are represented by R3 to R5 at approximately 10 feet (3.05 meters) east and south of the Project site boundary. Other sensitive land uses in the Project study area that are located at greater distances than those identified.

- R1: Located approximately 345 feet northwest of the Project site, R1 represents the existing Emerald Isle Apartments on the northwest corner of Rose Drive and Alta Vista Street.
- R2: Location R2 represents existing Placentia Champions Sports Complex and park located approximately 646 feet northeast of the Project site on Blankenship Circle.
- R3: Location R3 represents the existing outdoor living areas (backyards) of residential homes located roughly 10 feet east of the Project site on Runyon Place.
- R4: Location R4 represents the existing outdoor living areas (backyards) of residential homes located roughly 10 feet east of the Project site on Rodarte Place.
- R5: Location R5 represents the existing outdoor living areas (backyards) of residential homes located roughly 10 feet south of the Project site on Babcock Circle.
- R6: Location R6 represents the existing residential homes located approximately 187 feet west of the Project site across Rose Drive.

As previously stated, the nearest sensitive receptor land use is located approximately 10 feet (3.05 meters) east and south of the Project site. Notwithstanding, the *Methodology* explicitly states that “*It is possible that a project may have receptors closer than 25 meters. Projects with boundaries located closer than 25 meters to the nearest receptor should use the LSTs for receptors located at 25 meters (17).*” Accordingly, LSTs for receptors at 25 meters are utilized in this analysis and provide for a conservative i.e. “health protective” standard of care.

EXHIBIT 3-A: RECEPTOR LOCATIONS



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



LEGEND:

-  Receiver Locations
-  Distance from receiver to Project site boundary (in feet)
-  Existing Barrier Height (in feet)
-  Existing Barrier

MAXIMUM DAILY DISTURBED-ACREAGE

Table 3-7 is used to determine the maximum daily disturbed-acreage for purposes of modeling localized emissions. Based on Table 3-7, the Project could actively disturb 3.5 acres per day during site preparation and 2.5 acres per day during grading activity. A linear regression model based on SCAQMD's LST look-up tables was used to determine the localized significance thresholds. This methodology is consistent with recent recommendations made by SCAQMD planning staff.

TABLE 3-7: MAXIMUM DAILY DISTURBED-ACREAGE

Construction Phase	Equipment Type	Equipment Quantity	Acres graded per 8-hour day	Operating Hours per Day	Acres graded per day
Site Preparation	Rubber Tired Dozers	3	0.5	8	1.5
	Crawler Tractors	4	0.5	8	2
	Graders	0	0.5	8	0
	Scrapers	0	1	8	0
Total acres graded per day during Site Preparation					3.5

Construction Phase	Equipment Type	Equipment Quantity	Acres graded per 8-hour day	Operating Hours per Day	Acres graded per day
Grading	Rubber Tired Dozers	1	0.5	8	0.5
	Crawler Tractors	3	0.5	8	1.5
	Graders	1	0.5	8	0.5
	Scrapers	0	1	8	0
Total acres graded per day during Grading					2.5

CONSTRUCTION-SOURCE LST ANALYSIS

Since the total acreage disturbed is less than five acres per day for both the site preparation phase and the grading phase, the SCAQMD's screening look-up tables are utilized in determining impacts. It should be noted that since the look-up tables identifies thresholds at only 1 acre, 2 acres, and 5 acres, linear regression has been utilized, consistent with SCAQMD guidance, in order to interpolate the threshold values for the other disturbed acreage not identified. As previously noted, a 25-meter receptor distance is utilized to determine the LSTs for emissions of CO, NO₂, PM₁₀, and PM_{2.5}.

Impacts Without Mitigation

Without implementation of MMs, emissions during construction activity will exceed SCAQMD's localized significance thresholds for PM₁₀ and PM_{2.5} during site preparation and grading. Table 3-8 identifies the localized impacts at the nearest receptor location in the vicinity of the Project. Detailed construction model outputs are presented in Appendix 3.2.

TABLE 3-8: LOCALIZED SIGNIFICANCE SUMMARY CONSTRUCTION (WITHOUT MITIGATION)

On-Site Site Preparation Emissions	Emissions (pounds per day)			
	NOx	CO	PM10	PM2.5
Maximum Daily Emissions	71.70	23.76	23.31	13.03
SCAQMD Localized Threshold	184	1,037	9	5
Threshold Exceeded?	NO	NO	YES	YES

On-Site Grading Emissions	Emissions (pounds per day)			
	NOx	CO	PM10	PM2.5
Maximum Daily Emissions	48.30	17.54	10.11	5.34
SCAQMD Localized Threshold	159	854	7	4
Threshold Exceeded?	NO	NO	YES	YES

Impacts With Mitigation

With implementation of MM AQ-1 and MM AQ-2, emissions during construction activity will not exceed SCAQMD's localized significance thresholds. Table 3-9 identifies the localized impacts at the nearest receptor location in the vicinity of the Project. Detailed construction model outputs are presented in Appendix 3.4.

TABLE 3-9: LOCALIZED SIGNIFICANCE SUMMARY CONSTRUCTION (WITH MITIGATION)

On-Site Site Preparation Emissions	Emissions (pounds per day)			
	NOx	CO	PM10	PM2.5
Maximum Daily Emissions	27.05	30.31	6.27	3.67
SCAQMD Localized Threshold	184	1,037	9	5
Threshold Exceeded?	NO	NO	NO	NO

On-Site Grading Emissions	Emissions (pounds per day)			
	NOx	CO	PM10	PM2.5
Maximum Daily Emissions	20.83	24.51	2.94	1.74
SCAQMD Localized Threshold	159	854	7	4
Threshold Exceeded?	NO	NO	NO	NO

3.7 LOCALIZED SIGNIFICANCE – LONG-TERM OPERATIONAL ACTIVITY

The proposed Project involves the construction and operation of 10,600 square feet of retail use and up to 54 single-family residential dwelling units. According to the SCAQMD LST methodology, LSTs would apply to the operational phase of a proposed project, if the Project includes stationary sources, or attracts mobile sources that may spend long periods queuing and idling at the site (e.g., transfer facilities and warehouse buildings). The proposed Project does not include such

uses, and thus, due to the lack of significant stationary source emissions, no long-term localized significance threshold analysis is needed.

3.8 CO “HOT SPOT” ANALYSIS

As discussed below, the Project would not result in potentially adverse CO concentrations or “hot spots.” Further, detailed modeling of Project-specific carbon monoxide (CO) “hot spots” is not needed to reach this conclusion.

An adverse CO concentration, known as a “hot spot”, would occur if an exceedance of the state one-hour standard of 20 ppm or the eight-hour standard of 9 ppm were to occur. At the time of the 1993 Handbook, the SCAB was designated nonattainment under the California AAQS and National AAQS for CO (20).

It has long been recognized that CO hotspots are caused by vehicular emissions, primarily when idling at congested intersections. In response, vehicle emissions standards have become increasingly stringent in the last twenty years. Currently, the allowable CO emissions standard in California is a maximum of 3.4 grams/mile for passenger cars (there are requirements for certain vehicles that are more stringent). With the turnover of older vehicles, introduction of cleaner fuels, and implementation of increasingly sophisticated and efficient emissions control technologies, CO concentration in the SCAB is now designated as attainment, as previously noted in Table 2-2. Also, CO concentrations in the Project vicinity have steadily declined, as indicated by historical emissions data presented previously at Table 2-3.

To establish a more accurate record of baseline CO concentrations affecting the SCAB, a CO “hot spot” analysis was conducted in 2003 for four busy intersections in Los Angeles at the peak morning and afternoon time periods. This “hot spot” analysis did not predict any violation of CO standards, as shown on Table 3-10.

Based on the SCAQMD's 2003 AQMP and the 1992 Federal Attainment Plan for Carbon Monoxide (1992 CO Plan), peak carbon monoxide concentrations in the SCAB were a result of unusual meteorological and topographical conditions and not a result of traffic volumes and congestion at a particular intersection. As evidence of this, for example, 8.4 ppm CO concentration measured at the Long Beach Blvd. and Imperial Hwy. intersection (highest CO generating intersection within the “hot spot” analysis), only 0.7 ppm was attributable to the traffic volumes and congestion at this intersection; the remaining 7.7 ppm were due to the ambient air measurements at the time the 2003 AQMP was prepared (20). Therefore, even if the traffic volumes for the proposed Project were double or even triple of the traffic volumes generated at the Long Beach Blvd. and Imperial Hwy. intersection, coupled with the on-going improvements in ambient air quality, the Project would not be capable of resulting in a CO “hot spot” at any study area intersections.

Similar considerations are also employed by other Air Districts when evaluating potential CO concentration impacts. More specifically, the Bay Area Air Quality Management District (BAAQMD) concludes that under existing and future vehicle emission rates, a given project would have to increase traffic volumes at a single intersection by more than 44,000 vehicles per hour— or 24,000 vehicles per hour where vertical and/or horizontal air does not mix—in order to generate a significant CO impact (21).

Traffic volumes generating the CO concentrations for the “hot spot” analysis, shown on Table 3-11. The busiest intersection evaluated was that at Wilshire Blvd. and Veteran Ave., which has a daily traffic volume of approximately 100,000 vehicles per day. The 2003 AQMP estimated that the 1-hour concentration for this intersection was 4.6 ppm; this indicates that, should the daily traffic volume increase four times to 400,000 vehicles per day, CO concentrations (4.6 ppm x 4= 18.4 ppm) would still not likely exceed the most stringent 1-hour CO standard (20.0 ppm).⁴ At buildout of the Project, the highest average daily trips on a segment of road would be 32,300 daily trips on Rose Drive south of Buena Vista Avenue which is lower than the highest daily traffic volumes generated at the busiest intersection in the CO “hot spot” analysis (22).

The proposed Project considered herein would not produce the volume of traffic required to generate a CO “hot spot” either in the context of the 2003 Los Angeles hot spot study, or based on representative BAAQMD CO threshold considerations. Therefore, CO “hot spots” are not an environmental impact of concern for the proposed Project.

TABLE 3-10: CO MODEL RESULTS

Intersection Location	Carbon Monoxide Concentrations (parts per million)		
	Morning 1-hour	Afternoon 1-hour	8-hour
Wilshire-Veteran	4.6	3.5	3.7
Sunset-Highland	4	4.5	3.5
La Cienega-Century	3.7	3.1	5.2
Long Beach-Imperial	3	3.1	8.4

Source: 2003 AQMP, Appendix V: Modeling and Attainment Demonstrations

Notes: Federal 1-hour standard is 35 ppm and the deferral 8-hour standard is 9.0 ppm.

TABLE 3-11: TRAFFIC VOLUMES

Intersection Location	Peak Traffic Volumes (vehicles per hour)				
	Eastbound (AM/PM)	Westbound (AM/PM)	Southbound (AM/PM)	Northbound (AM/PM)	Total (AM/PM)
Wilshire-Veteran	4,954/2,069	1,830/3,317	721/1,400	560/933	8,062/7,719
Sunset-Highland	1,417/1,764	1,342/1,540	2,304/1,832	1,551/2,238	6,614/5,374
La Cienega-Century	2,540/2,243	1,890/2,728	1,384/2,029	821/1,674	6,634/8,674
Long Beach-Imperial	1,217/2,020	1,760/1,400	479/944	756/1,150	4,212/5,514

Source: 2003 AQMP

3.9 AIR QUALITY MANAGEMENT PLANNING

The Project site is located within the SCAB, which is characterized by relatively poor air quality. The SCAQMD has jurisdiction over an approximately 10,743 square-mile area consisting of the four-county Basin and the Los Angeles County and Riverside County portions of what use to be referred to as the Southeast Desert Air Basin. In these areas, the SCAQMD is principally responsible for air pollution control, and works directly with the Southern California Association

⁴ Based on the ratio of the CO standard (20.0 ppm) and the modeled value (4.6 ppm).

of Governments (SCAG), county transportation commissions, local governments, as well as state and federal agencies to reduce emissions from stationary, mobile, and indirect sources to meet state and federal ambient air quality standards.

Currently, these state and federal air quality standards are exceeded in most parts of the Basin. In response, the SCAQMD has adopted a series of Air Quality Management Plans (AQMPs) to meet the state and federal ambient air quality standards. AQMPs are updated regularly in order to more effectively reduce emissions, accommodate growth, and to minimize any negative fiscal impacts of air pollution control on the economy.

In March 2017, the AQMD released the Final 2016 AQMP. The 2016 AQMP continues to evaluate current integrated strategies and control measures to meet the NAAQS, as well as, explore new and innovative methods to reach its goals. Some of these approaches include utilizing incentive programs, recognizing existing co-benefit programs from other sectors, and developing a strategy with fair-share reductions at the federal, state, and local levels (23). Similar to the 2012 AQMP, the 2016 AQMP incorporates scientific and technological information and planning assumptions, including the 2016 RTP/SCS and updated emission inventory methodologies for various source categories (24). The Project's consistency with the AQMP will be determined using the 2016 AQMP is discussed below:

Criteria for determining consistency with the AQMP are defined in Chapter 12, Section 12.2 and Section 12.3 of the SCAQMD's CEQA Air Quality Handbook (1993) (25). These indicators are discussed below:

- Consistency Criterion No. 1: The proposed Project will not result in an increase in the frequency or severity of existing air quality violations or cause or contribute to new violations, or delay the timely attainment of air quality standards or the interim emissions reductions specified in the AQMP.

Construction Impacts

Consistency Criterion No. 1 refers to violations of the CAAQS and NAAQS. CAAQS and NAAQS violations would occur if LSTs were exceeded. As evaluated as part of the Project LST analysis (previously presented), the Project's localized construction-source emissions would not exceed applicable LSTs, and a less than significant impact is expected.

Operational Impacts

The Project regional analysis demonstrates that Project operational-source emissions would not exceed applicable thresholds, and would therefore not result in or cause violations of the CAAQS and NAAQS.

On the basis of the preceding discussion, the Project is determined to be consistent with the first criterion.

- Consistency Criterion No. 2: The Project will not exceed the assumptions in the AQMP based on the years of Project build-out phase.

Overview

The 2016 AQMP demonstrates that the applicable ambient air quality standards can be achieved within the timeframes required under federal law. Growth projections from local general plans adopted by cities in the district are provided to the Southern California Association of Governments (SCAG), which develops regional growth forecasts, which are then used to develop future air quality forecasts for the AQMP. Development consistent with the growth projections in the City of Placentia General Plan is considered to be consistent with the AQMP.

Construction Impacts

Peak day emissions generated by construction activities are largely independent of land use assignments, but rather are a function of development scope and maximum area of disturbance. Irrespective of the site's land use designation, development of the site to its maximum potential would likely occur, with disturbance of the entire site occurring during construction activities.

Operational Impacts

A project would conflict with the AQMP if it will exceed the assumptions in the AQMP or increments based on the year of project buildout and phase.

The Project site is located within the East Placentia Specific Plan (SP-7). According to the City of Placentia's General Plan Land Use designation for the site is currently Commercial. The project would amend the Zoning Code and SP-7 to change the site from Commercial to Medium Density Residential. In addition, the following approvals would be required for the project: Use Permit, Development Plan Review, Tentative Tract/Parcel Map and Zoning Code Amendment. The proposed Use Permit is to allow for the proposed drive-through restaurant, as well as outdoor dining space. Additionally, the proposed residential use will generate less traffic and will produce less emissions than a project conforming to the commercial land use designation.

On the basis of the preceding discussion, the Project is determined to be consistent with the second criterion.

AQMP Consistency Conclusion

The Project would not result in or cause NAAQS or CAAQS violations. The Project's proposed land use designation for the subject site is consistent with the development intensities as reflected in the adopted General Plan. The Project is therefore considered to be consistent with the AQMP.

3.10 POTENTIAL IMPACTS TO SENSITIVE RECEPTORS

The potential impact of Project-generated air pollutant emissions at sensitive receptors has also been considered. Sensitive receptors can include uses such as long term health care facilities, rehabilitation centers, and retirement homes. Residences, schools, playgrounds, child care centers, and athletic facilities can also be considered as sensitive receptors.

Results of the LST analysis indicate that after mitigation, the Project would not exceed the SCAQMD localized significance thresholds during construction or operations. Therefore sensitive receptors would not be adversely affected during Project construction, nor as the result of Project operations.

The proposed Project would not result in a CO “hotspot” as a result of Project related traffic during ongoing operations, nor would the Project result in a significant adverse health impact as discussed in Section 3.8. Thus a less than significant impact to sensitive receptors during operational activity is expected.

3.11 ODORS

Substantial odor-generating sources include land uses such as agricultural activities, feedlots, wastewater treatment facilities, landfills or various heavy industrial uses. The Project does not propose any such uses or activities that would result in potentially significant operational-source odor impacts. Potential sources of operational odors generated by the Project would include disposal of miscellaneous commercial refuse. Consistent with City requirements, all Project-generated refuse would be stored in covered containers and removed at regular intervals in compliance with solid waste regulations, thereby precluding substantial generation of odors due to temporary holding of refuse on-site. Moreover, SCAQMD Rule 402 acts to prevent occurrences of odor nuisances (1).

3.12 CUMULATIVE IMPACTS

The Project area is designated as an extreme non-attainment area for ozone, and a non-attainment area for PM₁₀, PM_{2.5}, and lead.

The AQMD has published a report on how to address cumulative impacts from air pollution: *White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution* (26). In this report the AQMD clearly states (Page D-3):

“...the AQMD uses the same significance thresholds for project specific and cumulative impacts for all environmental topics analyzed in an Environmental Assessment or EIR. The only case where the significance thresholds for project specific and cumulative impacts differ is the Hazard Index (HI) significance threshold for toxic air contaminant (TAC) emissions. The project specific (project increment) significance threshold is HI > 1.0 while the cumulative (facility-wide) is HI > 3.0. It should be noted that the HI is only one of three TAC emission significance thresholds considered (when applicable) in a CEQA analysis. The other two are the maximum individual cancer risk (MICR) and the cancer burden, both of which use the same significance thresholds (MICR of 10 in 1 million and cancer burden of 0.5) for project specific and cumulative impacts.

Projects that exceed the project-specific significance thresholds are considered by the SCAQMD to be cumulatively considerable. This is the reason project-specific and cumulative significance thresholds are the same. Conversely, projects that do not exceed the project-specific thresholds are generally not considered to be cumulatively significant.”

Therefore, this analysis assumes that individual projects that do not generate operational or construction emissions that exceed the SCAQMD's recommended daily thresholds for project-specific impacts would also not cause a cumulatively considerable increase in emissions for those pollutants for which the Basin is in nonattainment, and, therefore, would not be considered to have a significant, adverse air quality impact. Alternatively, individual project-related construction and operational emissions that exceed SCAQMD thresholds for project-specific impacts would be considered cumulatively considerable.

Construction Impacts

The Project-specific evaluation of emissions presented in the preceding analysis demonstrates that Project construction-source air pollutant emissions would not result in exceedances of regional thresholds. Therefore, Project construction-source emissions would be considered less than significant on a project-specific and cumulative basis.

Operational Impacts

Project operational-source emissions would not exceed applicable SCAQMD regional thresholds. Therefore, Project operational-source emissions would be considered less than significant on a project-specific and cumulative basis.

4 CONCLUSION

CONSTRUCTION-SOURCE EMISSIONS

REGIONAL IMPACTS

For regional emissions, the Project would not exceed the numerical thresholds of significance established by the South Coast Air Quality Management District (SCAQMD). Thus, a less than significant impact would occur for Project-related construction-source emissions and no mitigation is required.

LOCALIZED IMPACTS

For localized emissions, the Project would not exceed the SCAQMD's localized significance threshold after implementation of applicable mitigation measures. Thus, a less than significant impact would occur.

Project construction-source emissions would not conflict with the applicable Air Quality Management Plan (AQMP).

Odors

Established requirements addressing construction equipment operations, and construction material use, storage, and disposal requirements act to minimize odor impacts that may result from construction activities. Moreover, construction-source odor emissions would be temporary, short-term, and intermittent in nature and would not result in persistent impacts that would affect substantial numbers of people. Potential construction-source odor impacts are therefore considered less-than-significant.

OPERATIONAL-SOURCE EMISSIONS

REGIONAL IMPACTS

For regional emissions, the Project would not exceed thresholds of significance established by the SCAQMD for any criteria pollutant. Thus, a less than significant impact would occur for Project-related operational-source emissions and no mitigation is required.

LOCALIZED IMPACTS

Project operational-source emissions would not result in or cause a significant localized air quality impact as discussed in the operational LSTs section of this report. The proposed Project would not result in a significant CO "hotspot" as a result of Project related traffic during ongoing operations.

Project operational-source emissions would not conflict with the applicable AQMP.

ODORS

Substantial odor-generating sources include land uses such as agricultural activities, feedlots, wastewater treatment facilities, landfills or various heavy industrial uses. The Project does not

propose any such uses or activities that would result in potentially significant operational-source odor impacts. Potential sources of operational odors generated by the Project would include disposal of miscellaneous refuse. Moreover, SCAQMD Rule 402 acts to prevent occurrences of odor nuisances (1). Consistent with City requirements, all Project-generated refuse would be stored in covered containers and removed at regular intervals in compliance with solid waste regulations. Potential operational-source odor impacts are therefore considered less-than-significant.

5 REFERENCES

1. **South Coast Air Quality Management District.** RULE 402. Nuisance. [Online] May 7, 1976. [Cited: November 13, 2013.] <http://www.aqmd.gov/rules/reg/reg04/r402.pdf>.
2. —. Southern California Air Basins. [Online] [Cited: September 17, 2014.] <http://www.aqmd.gov/docs/default-source/default-document-library/map-of-jurisdiction.pdf>.
3. **California Air Resources Board.** Ambient Air Quality Standards (AAQS). [Online] 2013. [Cited: April 6, 2015.] <http://www.arb.ca.gov/research/aaqs/aaqs2.pdf>.
4. **Environmental Protection Agency.** Monitor Values Report. [Online] [Cited: September 17, 2014.] http://www.epa.gov/airdata/ad_rep_mon.html.
5. **Air Resources Board.** Air Quality Standards and Area Designations. [Online] 2013. [Cited: September 17, 2014.] <http://www.arb.ca.gov/desig/desig.htm>.
6. **Environmental Protection Agency.** Monitor Values Report. [Online] http://www.epa.gov/airdata/ad_rep_mon.html.
7. **South Coast Air Quality Management District.** 2012 Air Quality Management Plan (AQMP). [Online] 2012. [Cited: September 17, 2014.] <http://www.aqmd.gov/home/library/clean-air-plans/air-quality-mgt-plan/final-2012-air-quality-management-plan>.
8. **Environmental Protection Agency.** Air Pollution and the Clean Air Act. [Online] [Cited: September 17, 2014.] <http://www.epa.gov/air/caa/>.
9. **Air Resources Board.** California Ambient Air Quality Standards (CAAQS). [Online] 2009. [Cited: September 17, 2014.] <http://www.arb.ca.gov/research/aaqs/caaqs/caaqs.htm>.
10. **South Coast Air Quality Management District.** Greenhouse Gases (GHG) CEQA Significance Thresholds. [Online] [Cited: November 13, 2013.] <http://www.aqmd.gov/ceqa/handbook/GHG/GHG.html>.
11. —. California Emissions Estimator Model. [Online] 2016. [Cited: October 31, 2017.] <http://www.caleemod.com/>.
12. —. RULE 1113. Architectural Coatings. [Online] <http://www.aqmd.gov/rules/reg/reg11/r1113.pdf>.
13. —. RULE 431.2. Sulfur Content of Liquid Fuels. [Online] <http://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-431-2.pdf?sfvrsn=4>.
14. —. RULE 403. Fugitive Dust. [Online] <http://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-403.pdf?sfvrsn=4>.
15. —. RULE 1186. PM10 Emissions From Paved and Unpaved Roads, and Livestock Operations. [Online] <http://www.aqmd.gov/docs/default-source/rule-book/reg-xi/rule-1186-1-less-polluting-sweepers.pdf?sfvrsn=4>.
16. —. RULE 431.2. Sulfur Content of Liquid Fuels. [Online] <http://www.aqmd.gov/rules/siprules/sr431-2.pdf>.
17. —. *Localized Significance Thresholds Methodology.* s.l. : South Coast Air Quality Management District, 2003.
18. —. *Localized Significance Thresholds Methodology.* s.l. : South Coast Air Quality Management District, 2003.
19. —. Fact Sheet for Applying CalEEMod to Localized Significance Thresholds. [Online] [Cited: December 9, 2013.] <http://aqmd.gov/ceqa/handbook/LST/CalEEModguidance.pdf>.

20. —. 2003 Air Quality Management Plan. [Online] 2003.
<http://www.aqmd.gov/aqmp/aqmd03aqmp.htm>.
21. **Bay Area Air Quality Management District.** [Online] <http://www.baaqmd.gov/>.
22. **EPD Solutions, Inc.** *Alta Vista Traffic Impact Analysis*. Irvine : s.n., 2017.
23. **South Coast Air Quality Management District.** Final 2016 Air Quality Management Plan (AQMP). [Online] March 2017. <http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/2016-air-quality-management-plan/final-2016-aqmp/final2016aqmp.pdf?sfvrsn=11>.
24. **Southern California Association of Governments.** 2016-2040 Regional Transportation Plan/Sustainable Communities Strategy. [Online] April 2016.
<http://scagrtpsc.net/Documents/2016/final/f2016RTPSCS.pdf>.
25. **South coast Air Quality Management District.** CEQA Air Quality Handbook (1993). [Online] 1993. [Cited: September 17, 2014.] <http://www.aqmd.gov/ceqa/oldhdbk.html>.
26. **Goss, Tracy A and Kroeger, Amy.** White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution. [Online] South Coast Air Quality Management District, 2003.
http://www.aqmd.gov/rules/ciwig/final_white_paper.pdf.

This page intentionally left blank

6 CERTIFICATION

The contents of this air study report represent an accurate depiction of the environmental impacts associated with the proposed Alta Vista Project. The information contained in this air quality impact assessment report is based on the best available data at the time of preparation. If you have any questions, please contact me directly at (949) 336-5987.

Haseeb Qureshi
Senior Associate
URBAN CROSSROADS, INC.
260 E. Baker Street, Suite 200
Irvine, CA 92606
(949) 336-5987
hqureshi@urbanxroads.com

EDUCATION

Master of Science in Environmental Studies
California State University, Fullerton • May, 2010

Bachelor of Arts in Environmental Analysis and Design
University of California, Irvine • June, 2006

PROFESSIONAL AFFILIATIONS

AEP – Association of Environmental Planners
AWMA – Air and Waste Management Association
ASTM – American Society for Testing and Materials

PROFESSIONAL CERTIFICATIONS

Planned Communities and Urban Infill – Urban Land Institute • June, 2011
Indoor Air Quality and Industrial Hygiene – EMSL Analytical • April, 2008
Principles of Ambient Air Monitoring – California Air Resources Board • August, 2007
AB2588 Regulatory Standards – Trinity Consultants • November, 2006
Air Dispersion Modeling – Lakes Environmental • June, 2006

This page intentionally left blank

APPENDIX 3.1:

STATE/FEDERAL ATTAINMENT STATUS OF CRITERIA POLLUTANTS

TABLE 2-3
National Ambient Air Quality Standards (NAAQS) Attainment Status - South Coast Air Basin

Criteria Pollutant	Averaging Time	Designation ^a	Attainment Date ^b
Ozone (O ₃)	(1979) 1-Hour (0.12 ppm) ^c	Nonattainment (“extreme”)	2/26/2023 (revised deadline)
	(2015) 8-Hour (0.070 ppm) ^d	Pending – Expect Nonattainment (“extreme”)	Pending (beyond 2032)
	(2008) 8-Hour (0.075 ppm) ^d	Nonattainment (“extreme”)	7/20/2032
	(1997) 8-Hour (0.08 ppm) ^d	Nonattainment (“extreme”)	6/15/2024
PM _{2.5} ^e	(2006) 24-Hour (35 µg/m ³)	Nonattainment (“serious”)	12/31/2019
	(2012) Annual (12.0 µg/m ³)	Nonattainment (“moderate”)	12/31/2021
	(1997) Annual (15.0 µg/m ³)	Attainment (final determination pending)	4/5/2015 (attained 2013)
PM ₁₀ ^f	(1987) 24-hour (150 µg/m ³)	Attainment (Maintenance)	7/26/2013 (attained)
Lead (Pb) ^g	(2008) 3-Months Rolling (0.15 µg/m ³)	Nonattainment (Partial) (Attainment determination to be requested)	12/31/2015
CO	(1971) 1-Hour (35 ppm)	Attainment (Maintenance)	6/11/2007 (attained)
	(1971) 8-Hour (9 ppm)	Attainment (Maintenance)	6/11/2007 (attained)
NO ₂ ^h	(2010) 1-Hour (100 ppb)	Unclassifiable/Attainment	N/A (attained)
	(1971) Annual (0.053 ppm)	Attainment (Maintenance)	9/22/1998 (attained)
SO ₂ ⁱ	(2010) 1-Hour (75 ppb)	Designations Pending (expect Unclassifiable/Attainment)	N/A (attained)
	(1971) 24-Hour (0.14 ppm) (1971) Annual (0.03 ppm)	Unclassifiable/Attainment	3/19/1979 (attained)

- a) U.S. EPA often only declares Nonattainment areas; everywhere else is listed as Unclassifiable/Attainment or Unclassifiable
- b) A design value below the NAAQS for data through the full year or smog season prior to the attainment date is typically required for an attainment demonstration
- c) The 1979 1-hour ozone NAAQS (0.12 ppm) was revoked, effective 6/15/05 ; however, the Basin has not attained this standard and therefore has some continuing obligations with respect to the revoked standard; original attainment date was 11/15/2010; the revised attainment date is 2/6/23
- d) The 2008 8-hour ozone NAAQS (0.075 ppm) was revised to 0.070 ppm, effective 12/28/15 with classifications and implementation goals to be finalized by 10/1/17; the 1997 8-hour ozone NAAQS (0.08 ppm) was revoked in the 2008 ozone NAAQS implementation rule, effective 4/6/15; there are continuing obligations under the revoked 1997 and revised 2008 ozone NAAQS until they are attained
- e) The attainment deadline for the 2006 24-hour PM_{2.5} NAAQS was 12/31/15 for the former “moderate” classification; U.S.EPA approved reclassification to “serious,” effective 2/12/16 with an attainment deadline of 12/31/2019; the 2012 (proposal year) annual PM_{2.5} NAAQS was revised on 1/15/13, effective 3/18/13, from 15 to 12 µg/m³; new annual designations were final 1/15/15, effective 4/15/15; on July 25, 2016 U.S. EPA finalized a determination that the Basin attained the 1997 annual (15.0 µg/m³) and 24-hour PM_{2.5} (65 µg/m³) NAAQS, effective August 24, 2016
- f) The annual PM₁₀ NAAQS was revoked, effective 12/18/06; the 24-hour PM₁₀ NAAQS deadline was 12/31/2006; the Basin’s Attainment Re-designation Request and PM₁₀ Maintenance Plan was approved by U.S. EPA on 6/26/13, effective 7/26/13
- g) Partial Nonattainment designation – Los Angeles County portion of the Basin only for near-source monitors; expect to remain in attainment based on current monitoring data; attainment re-designation request pending
- h) New 1-hour NO₂ NAAQS became effective 8/2/10, with attainment designations 1/20/12; annual NO₂ NAAQS retained
- i) The 1971 annual and 24-hour SO₂ NAAQS were revoked, effective 8/23/10; however, these 1971 standards will remain in effect until one year after U.S. EPA promulgates area designations for the 2010 SO₂ 1-hour NAAQS; final area designations expected by 12/31/20 due to new source-specific monitoring requirements; Basin expected to be in attainment due to ongoing clean data

TABLE 2-4
National Ambient Air Quality Standards (NAAQS) Attainment Status
Coachella Valley Portion of the Salton Sea Air Basin

Criteria Pollutant	Averaging Time	Designation ^a	Attainment Date ^b
Ozone (O₃)	(1979) 1-Hour (0.12 ppm) ^c	Attainment	11/15/2007 (attained 12/31/2013)
	(2015) 8-Hour (0.070 ppm) ^d	Pending – Expect Nonattainment (Severe)	Pending
	(2008) 8-Hour (0.075 ppm) ^d	Nonattainment (Severe-15)	7/20/2027
	(1997) 8-Hour (0.08 ppm) ^d	Nonattainment (Severe-15)	6/15/2019
PM2.5^e	(2006) 24-Hour (35 µg/m ³)	Unclassifiable/Attainment	N/A (attained)
	(2012) Annual (12.0 µg/m ³)	Unclassifiable/Attainment	N/A (attained)
	(1997) Annual (15.0 µg/m ³)	Unclassifiable/Attainment	N/A (attained)
PM10^f	(1987) 24-hour (150 µg/m ³)	Nonattainment (“serious”)	12/31/2006
Lead (Pb)	(2008) 3-Months Rolling (0.15 µg/m ³)	Unclassifiable/Attainment	Unclassifiable/ Attainment
CO	(1971) 1-Hour (35 ppm)	Unclassifiable/Attainment	N/A (attained)
	(1971) 8-Hour (9 ppm)	Unclassifiable/Attainment	N/A (attained)
NO₂^g	(2010) 1-Hour (100 ppb)	Unclassifiable/Attainment	N/A (attained)
	(1971) Annual (0.053 ppm)	Unclassifiable/Attainment	N/A (attained)
SO₂^h	(2010) 1-Hour (75 ppb)	Designations Pending	N/A
	(1971) 24-Hour (0.14 ppm) (1971) Annual (0.03 ppm)	Unclassifiable/Attainment	Unclassifiable/ Attainment

- a) U.S. EPA often only declares Nonattainment areas; everywhere else is listed as Unclassifiable/Attainment or Unclassifiable
- b) A design value below the NAAQS for data through the full year or smog season prior to the attainment date is typically required for an attainment demonstration
- c) The 1979 1-hour ozone NAAQS (0.12 ppm) was revoked, effective 6/15/05; the Southeast Desert Modified Air Quality Management Area, including the Coachella Valley, had not timely attained this standard by the 11/15/07 “severe-17” deadline, based on 2005-2007 data; on 8/25/14, U.S. EPA proposed a clean data finding based on 2011–2013 data and a determination of attainment for the former 1-hour ozone NAAQS for the Southeast Desert nonattainment area; this rule was finalized by U.S. EPA on 4/15/15, effective 5/15/15, that included preliminary 2014 data
- d) The 2008 8-hour ozone NAAQS (0.075 ppm) was revised to 0.070 ppm, effective 12/28/15 with classifications and implementation goals to be finalized by 10/1/17; the 1997 8-hour ozone NAAQS (0.08 ppm) was revoked in the 2008 ozone NAAQS implementation rule, effective 4/6/15; there are continuing obligations under the 1997 and 2008 ozone NAAQS until they are attained
- e) The annual PM2.5 standard was revised on 1/15/13, effective 3/18/13, from 15 to 12 µg/m³
- f) The annual PM10 standard was revoked, effective 12/18/06; the 24-hour PM10 NAAQS attainment deadline was 12/31/2006; the Coachella Valley Attainment Re-designation Request and PM10 Maintenance Plan was postponed by U.S. EPA pending additional monitoring and analysis in the southeastern Coachella Valley
- g) New 1-hour NO₂ NAAQS became effective 8/2/10; attainment designations 1/20/12; annual NO₂ NAAQS retained
- h) The 1971 Annual and 24-hour SO₂ NAAQS were revoked, effective 8/23/10; however, these 1971 standards will remain in effect until one year after U.S. EPA promulgates area designations for the 2010 SO₂ 1-hour standard; final area designations expected by 12/31/2020 with SSAB expected to be designated Unclassifiable/Attainment

The current status of CAAQS attainment for the pollutants with State standards is presented in Table 2-5 for the Basin and the Riverside County portion of the SSAB (Coachella Valley).

TABLE 2-5

California Ambient Air Quality Standards (CAAQS) Attainment Status
South Coast Air Basin and Coachella Valley portion of Salton Sea Air Basin

Pollutant	Averaging Time and Level ^b	Designation ^a	
		South Coast Air Basin	Coachella Valley
Ozone (O ₃)	1-Hour (0.09 ppm) ^c	Nonattainment	Nonattainment
	8-Hour (0.070 ppm) ^d	Nonattainment	Nonattainment
PM2.5	Annual (12.0 µg/m ³)	Nonattainment	Attainment
PM10	24-Hour (50 µg/m ³)	Nonattainment	Nonattainment
	Annual (20 µg/m ³)	Nonattainment	Nonattainment
Lead (Pb)	30-Day Average (1.5 µg/m ³)	Attainment	Attainment
CO	1-Hour (20 ppm)	Attainment	Attainment
	8-Hour (9.0 ppm)	Attainment	Attainment
NO ₂	1-Hour (0.18 ppm)	Attainment	Attainment
	Annual (0.030 ppm)	Attainment	Attainment
SO ₂	1-Hour (0.25 ppm)	Attainment	Attainment
	24-Hour (0.04 ppm)	Attainment	Attainment
Sulfates	24-Hour (25 µg/m ³)	Attainment	Attainment
H ₂ S ^c	1-Hour (0.03 ppm)	Unclassified	Unclassified ^{c)}

- a) CA State designations shown were updated by CARB in 2016, based on the 2013–2015 3-year period; stated designations are based on a 3-year data period after consideration of outliers and exceptional events; Source: <http://www.arb.ca.gov/degis/statedesig.htm#current>
- b) CA State standards, or CAAQS, for ozone, CO, SO₂, NO₂, PM10 and PM2.5 are values not to be exceeded; lead, sulfates, and H₂S standards are values not to be equaled or exceeded; CAAQS are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations
- c) SCAQMD began monitoring H₂S in the southeastern Coachella Valley in November 2013 due to odor events related to the Salton Sea; three full years of data are not yet available for a State designation, but nonattainment is anticipated for the H₂S CAAQS in at least part of the Coachella Valley

The 1979 federal 1-hour ozone standard (0.12 ppm) was revoked by the U.S. EPA and replaced by the 8-hour average ozone standard (0.08 ppm), effective June 15, 2005. However, the Basin and the former Southeast Desert Modified Air Quality Management Area (which included the Coachella Valley) had not attained the 1-hour federal ozone NAAQS by the attainment dates in 2010 and 2007, respectively, and, therefore, had continuing obligations under the former standard. On August 25, 2014, U.S. EPA

This page intentionally left blank

APPENDIX 3.2:

CALEEMOD CONSTRUCTION EMISSIONS MODEL OUTPUTS (UNMITIGATED)

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

Specific Plan 7 Amendment (Unmitigated)
South Coast AQMD Air District, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Fast Food Restaurant with Drive Thru	2.00	1000sqft	0.05	2,000.00	0
High Turnover (Sit Down Restaurant)	8.60	1000sqft	0.20	8,600.00	0
Single Family Housing	54.00	Dwelling Unit	6.46	124,146.00	154

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	8			Operational Year	2019
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

Project Characteristics -

Land Use - Lot acreage from the Design Set Map. Average home size conservatively based on the largest floor plan of 2,299 square feet.

Construction Phase -

Off-road Equipment - Hours are based on 8-hour workday.

Off-road Equipment - Crawler Tractors used in lieu of Tractors/Loaders/Backhoes.

Off-road Equipment - Crawler Tractors used in lieu of Tractors/Loaders/Backhoes.

Off-road Equipment -

Off-road Equipment - Crawler Tractors used in lieu of Tractors/Loaders/Backhoes.

Grading -

Vehicle Trips - Construction Run Only.

Woodstoves - Construction Run Only.

Construction Off-road Equipment Mitigation -

Trips and VMT -

Energy Use - Construction Run Only.

Water And Wastewater - Construction Run Only.

Solid Waste - Construction Run Only.

Table Name	Column Name	Default Value	New Value
tblEnergyUse	LightingElect	7.66	0.00
tblEnergyUse	LightingElect	7.66	0.00
tblEnergyUse	LightingElect	1,608.84	0.00
tblEnergyUse	NT24E	20.11	0.00
tblEnergyUse	NT24E	20.11	0.00
tblEnergyUse	NT24E	6,155.97	0.00
tblEnergyUse	NT24NG	180.76	0.00
tblEnergyUse	NT24NG	180.76	0.00
tblEnergyUse	NT24NG	5,516.00	0.00

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

tblEnergyUse	T24E	8.71	0.00
tblEnergyUse	T24E	8.71	0.00
tblEnergyUse	T24E	253.73	0.00
tblEnergyUse	T24NG	78.56	0.00
tblEnergyUse	T24NG	78.56	0.00
tblEnergyUse	T24NG	20,288.91	0.00
tblFireplaces	NumberGas	45.90	0.00
tblFireplaces	NumberNoFireplace	5.40	0.00
tblFireplaces	NumberWood	2.70	0.00
tblGrading	MaterialImported	0.00	1,900.00
tblLandUse	LandUseSquareFeet	97,200.00	124,146.00
tblLandUse	LotAcreage	17.53	6.46
tblOffRoadEquipment	OffRoadEquipmentType		Crawler Tractors
tblOffRoadEquipment	OffRoadEquipmentType		Crawler Tractors
tblOffRoadEquipment	OffRoadEquipmentType		Crawler Tractors
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblOffRoadEquipment	UsageHours	6.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblSolidWaste	SolidWasteGenerationRate	23.04	0.00
tblSolidWaste	SolidWasteGenerationRate	102.34	0.00
tblSolidWaste	SolidWasteGenerationRate	63.14	0.00
tblVehicleTrips	HO_TL	8.70	0.00
tblVehicleTrips	HO_TTP	40.60	0.00
tblVehicleTrips	HS_TL	5.90	0.00

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

tblVehicleTrips	HS_TTP	19.20	0.00
tblVehicleTrips	HW_TL	14.70	0.00
tblVehicleTrips	HW_TTP	40.20	0.00
tblVehicleTrips	ST_TR	722.03	0.00
tblVehicleTrips	ST_TR	158.37	0.00
tblVehicleTrips	ST_TR	9.91	0.00
tblVehicleTrips	SU_TR	542.72	0.00
tblVehicleTrips	SU_TR	131.84	0.00
tblVehicleTrips	SU_TR	8.62	0.00
tblVehicleTrips	WD_TR	496.12	0.00
tblVehicleTrips	WD_TR	127.15	0.00
tblVehicleTrips	WD_TR	9.52	0.00
tblWater	IndoorWaterUseRate	607,067.42	0.00
tblWater	IndoorWaterUseRate	2,610,389.93	0.00
tblWater	IndoorWaterUseRate	3,518,317.38	0.00
tblWater	OutdoorWaterUseRate	38,748.98	0.00
tblWater	OutdoorWaterUseRate	166,620.63	0.00
tblWater	OutdoorWaterUseRate	2,218,069.65	0.00
tblWoodstoves	NumberCatalytic	2.70	0.00
tblWoodstoves	NumberNoncatalytic	2.70	0.00

2.0 Emissions Summary

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	3.0449	0.0519	4.4782	2.4000e-004	0.0000	0.0245	0.0245	0.0000	0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	3.0449	0.0519	4.4782	2.4000e-004	0.0000	0.0245	0.0245	0.0000	0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	1/1/2018	1/12/2018	5	10	
2	Grading	Grading	1/13/2018	2/9/2018	5	20	
3	Building Construction	Building Construction	2/10/2018	12/28/2018	5	230	
4	Paving	Paving	12/29/2018	1/25/2019	5	20	
5	Architectural Coating	Architectural Coating	1/26/2019	2/22/2019	5	20	

Acres of Grading (Site Preparation Phase): 20

Acres of Grading (Grading Phase): 40

Acres of Paving: 0

Residential Indoor: 251,396; Residential Outdoor: 83,799; Non-Residential Indoor: 15,900; Non-Residential Outdoor: 5,300; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Crawler Tractors	4	8.00	212	0.43
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Grading	Crawler Tractors	3	8.00	212	0.43
Grading	Excavators	1	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Crawler Tractors	3	8.00	212	0.43
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	8.00	78	0.48

Trips and VMT

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	6	15.00	0.00	238.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	24.00	8.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	5.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

3.2 Site Preparation - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					20.1873	0.0000	20.1873	10.1597	0.0000	10.1597			0.0000			0.0000
Off-Road	6.0597	71.6980	23.7636	0.0570		3.1187	3.1187		2.8692	2.8692		5,742.1116	5,742.1116	1.7876		5,786.8015
Total	6.0597	71.6980	23.7636	0.0570	20.1873	3.1187	23.3060	10.1597	2.8692	13.0289		5,742.1116	5,742.1116	1.7876		5,786.8015

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

3.2 Site Preparation - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1055	0.0762	0.8174	2.0600e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		205.3223	205.3223	7.0100e-003		205.4974
Total	0.1055	0.0762	0.8174	2.0600e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		205.3223	205.3223	7.0100e-003		205.4974

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					7.8730	0.0000	7.8730	3.9623	0.0000	3.9623			0.0000			0.0000
Off-Road	6.0597	71.6980	23.7636	0.0570		3.1187	3.1187		2.8692	2.8692	0.0000	5,742.1116	5,742.1116	1.7876		5,786.8015
Total	6.0597	71.6980	23.7636	0.0570	7.8730	3.1187	10.9917	3.9623	2.8692	6.8315	0.0000	5,742.1116	5,742.1116	1.7876		5,786.8015

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

3.2 Site Preparation - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1055	0.0762	0.8174	2.0600e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		205.3223	205.3223	7.0100e-003		205.4974
Total	0.1055	0.0762	0.8174	2.0600e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		205.3223	205.3223	7.0100e-003		205.4974

3.3 Grading - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.1538	0.0000	8.1538	3.5409	0.0000	3.5409			0.0000			0.0000
Off-Road	3.8960	48.2970	17.5424	0.0439		1.9577	1.9577		1.8011	1.8011		4,420.8874	4,420.8874	1.3763		4,455.2944
Total	3.8960	48.2970	17.5424	0.0439	8.1538	1.9577	10.1115	3.5409	1.8011	5.3419		4,420.8874	4,420.8874	1.3763		4,455.2944

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

3.3 Grading - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1062	3.7152	0.7358	9.2900e-003	0.2080	0.0144	0.2223	0.0570	0.0137	0.0707		1,001.2866	1,001.2866	0.0730		1,003.1104
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0879	0.0635	0.6811	1.7200e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		171.1019	171.1019	5.8400e-003		171.2479
Total	0.1941	3.7786	1.4170	0.0110	0.3756	0.0157	0.3913	0.1015	0.0150	0.1164		1,172.3885	1,172.3885	0.0788		1,174.3582

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.1800	0.0000	3.1800	1.3809	0.0000	1.3809			0.0000			0.0000
Off-Road	3.8960	48.2970	17.5424	0.0439		1.9577	1.9577		1.8011	1.8011	0.0000	4,420.8874	4,420.8874	1.3763		4,455.2944
Total	3.8960	48.2970	17.5424	0.0439	3.1800	1.9577	5.1377	1.3809	1.8011	3.1820	0.0000	4,420.8874	4,420.8874	1.3763		4,455.2944

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

3.3 Grading - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1062	3.7152	0.7358	9.2900e-003	0.2080	0.0144	0.2223	0.0570	0.0137	0.0707		1,001.2866	1,001.2866	0.0730		1,003.1104
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0879	0.0635	0.6811	1.7200e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		171.1019	171.1019	5.8400e-003		171.2479
Total	0.1941	3.7786	1.4170	0.0110	0.3756	0.0157	0.3913	0.1015	0.0150	0.1164		1,172.3885	1,172.3885	0.0788		1,174.3582

3.4 Building Construction - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.9734	42.8532	19.7374	0.0430		2.0130	2.0130		1.8820	1.8820		4,243.6666	4,243.6666	1.1473		4,272.3492
Total	3.9734	42.8532	19.7374	0.0430		2.0130	2.0130		1.8820	1.8820		4,243.6666	4,243.6666	1.1473		4,272.3492

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

3.4 Building Construction - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0355	0.9711	0.2680	2.0400e-003	0.0512	7.1900e-003	0.0584	0.0147	6.8800e-003	0.0216		216.6052	216.6052	0.0163		217.0126
Worker	0.1406	0.1016	1.0898	2.7500e-003	0.2683	2.1400e-003	0.2704	0.0711	1.9700e-003	0.0731		273.7630	273.7630	9.3400e-003		273.9966
Total	0.1761	1.0727	1.3578	4.7900e-003	0.3195	9.3300e-003	0.3288	0.0859	8.8500e-003	0.0947		490.3682	490.3682	0.0256		491.0092

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.9734	42.8532	19.7374	0.0430		2.0130	2.0130		1.8820	1.8820	0.0000	4,243.6666	4,243.6666	1.1473		4,272.3492
Total	3.9734	42.8532	19.7374	0.0430		2.0130	2.0130		1.8820	1.8820	0.0000	4,243.6666	4,243.6666	1.1473		4,272.3492

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

3.4 Building Construction - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0355	0.9711	0.2680	2.0400e-003	0.0512	7.1900e-003	0.0584	0.0147	6.8800e-003	0.0216		216.6052	216.6052	0.0163		217.0126
Worker	0.1406	0.1016	1.0898	2.7500e-003	0.2683	2.1400e-003	0.2704	0.0711	1.9700e-003	0.0731		273.7630	273.7630	9.3400e-003		273.9966
Total	0.1761	1.0727	1.3578	4.7900e-003	0.3195	9.3300e-003	0.3288	0.0859	8.8500e-003	0.0947		490.3682	490.3682	0.0256		491.0092

3.5 Paving - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797		2,294.0887	2,294.0887	0.7142		2,311.9432
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797		2,294.0887	2,294.0887	0.7142		2,311.9432

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

3.5 Paving - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0879	0.0635	0.6811	1.7200e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		171.1019	171.1019	5.8400e-003		171.2479
Total	0.0879	0.0635	0.6811	1.7200e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		171.1019	171.1019	5.8400e-003		171.2479

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797	0.0000	2,294.0887	2,294.0887	0.7142		2,311.9432
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797	0.0000	2,294.0887	2,294.0887	0.7142		2,311.9432

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

3.5 Paving - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0879	0.0635	0.6811	1.7200e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		171.1019	171.1019	5.8400e-003		171.2479
Total	0.0879	0.0635	0.6811	1.7200e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		171.1019	171.1019	5.8400e-003		171.2479

3.5 Paving - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586		2,257.0025	2,257.0025	0.7141		2,274.8548
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586		2,257.0025	2,257.0025	0.7141		2,274.8548

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

3.5 Paving - 2019

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0800	0.0560	0.6081	1.6600e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		165.6984	165.6984	5.1800e-003		165.8278
Total	0.0800	0.0560	0.6081	1.6600e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		165.6984	165.6984	5.1800e-003		165.8278

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586	0.0000	2,257.0025	2,257.0025	0.7141		2,274.8548
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586	0.0000	2,257.0025	2,257.0025	0.7141		2,274.8548

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

3.5 Paving - 2019

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0800	0.0560	0.6081	1.6600e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		165.6984	165.6984	5.1800e-003		165.8278
Total	0.0800	0.0560	0.6081	1.6600e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		165.6984	165.6984	5.1800e-003		165.8278

3.6 Architectural Coating - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	43.7538					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.3553	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717		375.2641	375.2641	0.0317		376.0565
Total	44.1091	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717		375.2641	375.2641	0.0317		376.0565

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

3.6 Architectural Coating - 2019

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0267	0.0187	0.2027	5.5000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		55.2328	55.2328	1.7300e-003		55.2759
Total	0.0267	0.0187	0.2027	5.5000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		55.2328	55.2328	1.7300e-003		55.2759

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	43.7538					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.3553	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717	0.0000	375.2641	375.2641	0.0317		376.0565
Total	44.1091	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717	0.0000	375.2641	375.2641	0.0317		376.0565

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

3.6 Architectural Coating - 2019

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0267	0.0187	0.2027	5.5000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		55.2328	55.2328	1.7300e-003		55.2759
Total	0.0267	0.0187	0.2027	5.5000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		55.2328	55.2328	1.7300e-003		55.2759

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Fast Food Restaurant with Drive Thru	0.00	0.00	0.00		
High Turnover (Sit Down Restaurant)	0.00	0.00	0.00		
Single Family Housing	0.00	0.00	0.00		
Total	0.00	0.00	0.00		

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Fast Food Restaurant with Drive	16.60	8.40	6.90	2.20	78.80	19.00	29	21	50
High Turnover (Sit Down)	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Single Family Housing	0.00	0.00	0.00	0.00	0.00	0.00	86	11	3

4.4 Fleet Mix

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Fast Food Restaurant with Drive Thru	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991
High Turnover (Sit Down Restaurant)	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991
Single Family Housing	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day										lb/day					
NaturalGas Mitigated	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
NaturalGas Unmitigated	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Fast Food Restaurant with Drive Thru	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
High Turnover (Sit Down Restaurant)	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Fast Food Restaurant with Drive Thru	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
High Turnover (Sit Down Restaurant)	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212
Unmitigated	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

6.2 Area by SubCategory**Unmitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2398					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	2.6680					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	0.1372	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245		8.0241	8.0241	7.8800e-003		8.2212
Total	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2398					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	2.6680					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	0.1372	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245		8.0241	8.0241	7.8800e-003		8.2212
Total	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Winter

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

Specific Plan 7 Amendment (Unmitigated)
South Coast AQMD Air District, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Fast Food Restaurant with Drive Thru	2.00	1000sqft	0.05	2,000.00	0
High Turnover (Sit Down Restaurant)	8.60	1000sqft	0.20	8,600.00	0
Single Family Housing	54.00	Dwelling Unit	6.46	124,146.00	154

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	8			Operational Year	2019
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

Project Characteristics -

Land Use - Lot acreage from the Design Set Map. Average home size conservatively based on the largest floor plan of 2,299 square feet.

Construction Phase -

Off-road Equipment - Hours are based on 8-hour workday.

Off-road Equipment - Crawler Tractors used in lieu of Tractors/Loaders/Backhoes.

Off-road Equipment - Crawler Tractors used in lieu of Tractors/Loaders/Backhoes.

Off-road Equipment -

Off-road Equipment - Crawler Tractors used in lieu of Tractors/Loaders/Backhoes.

Grading -

Vehicle Trips - Construction Run Only.

Woodstoves - Construction Run Only.

Construction Off-road Equipment Mitigation -

Trips and VMT -

Energy Use - Construction Run Only.

Water And Wastewater - Construction Run Only.

Solid Waste - Construction Run Only.

Table Name	Column Name	Default Value	New Value
tblEnergyUse	LightingElect	7.66	0.00
tblEnergyUse	LightingElect	7.66	0.00
tblEnergyUse	LightingElect	1,608.84	0.00
tblEnergyUse	NT24E	20.11	0.00
tblEnergyUse	NT24E	20.11	0.00
tblEnergyUse	NT24E	6,155.97	0.00
tblEnergyUse	NT24NG	180.76	0.00
tblEnergyUse	NT24NG	180.76	0.00
tblEnergyUse	NT24NG	5,516.00	0.00

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

tblEnergyUse	T24E	8.71	0.00
tblEnergyUse	T24E	8.71	0.00
tblEnergyUse	T24E	253.73	0.00
tblEnergyUse	T24NG	78.56	0.00
tblEnergyUse	T24NG	78.56	0.00
tblEnergyUse	T24NG	20,288.91	0.00
tblFireplaces	NumberGas	45.90	0.00
tblFireplaces	NumberNoFireplace	5.40	0.00
tblFireplaces	NumberWood	2.70	0.00
tblGrading	MaterialImported	0.00	1,900.00
tblLandUse	LandUseSquareFeet	97,200.00	124,146.00
tblLandUse	LotAcreage	17.53	6.46
tblOffRoadEquipment	OffRoadEquipmentType		Crawler Tractors
tblOffRoadEquipment	OffRoadEquipmentType		Crawler Tractors
tblOffRoadEquipment	OffRoadEquipmentType		Crawler Tractors
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblOffRoadEquipment	UsageHours	6.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblSolidWaste	SolidWasteGenerationRate	23.04	0.00
tblSolidWaste	SolidWasteGenerationRate	102.34	0.00
tblSolidWaste	SolidWasteGenerationRate	63.14	0.00
tblVehicleTrips	HO_TL	8.70	0.00
tblVehicleTrips	HO_TTP	40.60	0.00
tblVehicleTrips	HS_TL	5.90	0.00

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

tblVehicleTrips	HS_TTP	19.20	0.00
tblVehicleTrips	HW_TL	14.70	0.00
tblVehicleTrips	HW_TTP	40.20	0.00
tblVehicleTrips	ST_TR	722.03	0.00
tblVehicleTrips	ST_TR	158.37	0.00
tblVehicleTrips	ST_TR	9.91	0.00
tblVehicleTrips	SU_TR	542.72	0.00
tblVehicleTrips	SU_TR	131.84	0.00
tblVehicleTrips	SU_TR	8.62	0.00
tblVehicleTrips	WD_TR	496.12	0.00
tblVehicleTrips	WD_TR	127.15	0.00
tblVehicleTrips	WD_TR	9.52	0.00
tblWater	IndoorWaterUseRate	607,067.42	0.00
tblWater	IndoorWaterUseRate	2,610,389.93	0.00
tblWater	IndoorWaterUseRate	3,518,317.38	0.00
tblWater	OutdoorWaterUseRate	38,748.98	0.00
tblWater	OutdoorWaterUseRate	166,620.63	0.00
tblWater	OutdoorWaterUseRate	2,218,069.65	0.00
tblWoodstoves	NumberCatalytic	2.70	0.00
tblWoodstoves	NumberNoncatalytic	2.70	0.00

2.0 Emissions Summary

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	3.0449	0.0519	4.4782	2.4000e-004	0.0000	0.0245	0.0245	0.0000	0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	3.0449	0.0519	4.4782	2.4000e-004	0.0000	0.0245	0.0245	0.0000	0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	1/1/2018	1/12/2018	5	10	
2	Grading	Grading	1/13/2018	2/9/2018	5	20	
3	Building Construction	Building Construction	2/10/2018	12/28/2018	5	230	
4	Paving	Paving	12/29/2018	1/25/2019	5	20	
5	Architectural Coating	Architectural Coating	1/26/2019	2/22/2019	5	20	

Acres of Grading (Site Preparation Phase): 20

Acres of Grading (Grading Phase): 40

Acres of Paving: 0

Residential Indoor: 251,396; Residential Outdoor: 83,799; Non-Residential Indoor: 15,900; Non-Residential Outdoor: 5,300; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Crawler Tractors	4	8.00	212	0.43
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Grading	Crawler Tractors	3	8.00	212	0.43
Grading	Excavators	1	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Crawler Tractors	3	8.00	212	0.43
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	8.00	78	0.48

Trips and VMT

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	6	15.00	0.00	238.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	24.00	8.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	5.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

3.2 Site Preparation - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					20.1873	0.0000	20.1873	10.1597	0.0000	10.1597			0.0000			0.0000
Off-Road	6.0597	71.6980	23.7636	0.0570		3.1187	3.1187		2.8692	2.8692		5,742.1116	5,742.1116	1.7876		5,786.8015
Total	6.0597	71.6980	23.7636	0.0570	20.1873	3.1187	23.3060	10.1597	2.8692	13.0289		5,742.1116	5,742.1116	1.7876		5,786.8015

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

3.2 Site Preparation - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0970	0.0695	0.9032	2.2100e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		219.4833	219.4833	7.4800e-003		219.6704
Total	0.0970	0.0695	0.9032	2.2100e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		219.4833	219.4833	7.4800e-003		219.6704

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					7.8730	0.0000	7.8730	3.9623	0.0000	3.9623			0.0000			0.0000
Off-Road	6.0597	71.6980	23.7636	0.0570		3.1187	3.1187		2.8692	2.8692	0.0000	5,742.1116	5,742.1116	1.7876		5,786.8015
Total	6.0597	71.6980	23.7636	0.0570	7.8730	3.1187	10.9917	3.9623	2.8692	6.8315	0.0000	5,742.1116	5,742.1116	1.7876		5,786.8015

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

3.2 Site Preparation - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0970	0.0695	0.9032	2.2100e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		219.4833	219.4833	7.4800e-003		219.6704
Total	0.0970	0.0695	0.9032	2.2100e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		219.4833	219.4833	7.4800e-003		219.6704

3.3 Grading - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.1538	0.0000	8.1538	3.5409	0.0000	3.5409			0.0000			0.0000
Off-Road	3.8960	48.2970	17.5424	0.0439		1.9577	1.9577		1.8011	1.8011		4,420.8874	4,420.8874	1.3763		4,455.2944
Total	3.8960	48.2970	17.5424	0.0439	8.1538	1.9577	10.1115	3.5409	1.8011	5.3419		4,420.8874	4,420.8874	1.3763		4,455.2944

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

3.3 Grading - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1032	3.6640	0.6785	9.4600e-003	0.2080	0.0141	0.2220	0.0570	0.0135	0.0705		1,019.5756	1,019.5756	0.0697		1,021.3189
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0808	0.0580	0.7526	1.8400e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		182.9028	182.9028	6.2400e-003		183.0587
Total	0.1840	3.7220	1.4311	0.0113	0.3756	0.0154	0.3910	0.1015	0.0147	0.1162		1,202.4783	1,202.4783	0.0760		1,204.3776

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.1800	0.0000	3.1800	1.3809	0.0000	1.3809			0.0000			0.0000
Off-Road	3.8960	48.2970	17.5424	0.0439		1.9577	1.9577		1.8011	1.8011	0.0000	4,420.8874	4,420.8874	1.3763		4,455.2944
Total	3.8960	48.2970	17.5424	0.0439	3.1800	1.9577	5.1377	1.3809	1.8011	3.1820	0.0000	4,420.8874	4,420.8874	1.3763		4,455.2944

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

3.3 Grading - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1032	3.6640	0.6785	9.4600e-003	0.2080	0.0141	0.2220	0.0570	0.0135	0.0705		1,019.5756	1,019.5756	0.0697		1,021.3189
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0808	0.0580	0.7526	1.8400e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		182.9028	182.9028	6.2400e-003		183.0587
Total	0.1840	3.7220	1.4311	0.0113	0.3756	0.0154	0.3910	0.1015	0.0147	0.1162		1,202.4783	1,202.4783	0.0760		1,204.3776

3.4 Building Construction - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.9734	42.8532	19.7374	0.0430		2.0130	2.0130		1.8820	1.8820		4,243.6666	4,243.6666	1.1473		4,272.3492
Total	3.9734	42.8532	19.7374	0.0430		2.0130	2.0130		1.8820	1.8820		4,243.6666	4,243.6666	1.1473		4,272.3492

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

3.4 Building Construction - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0340	0.9695	0.2414	2.0900e-003	0.0512	7.0800e-003	0.0583	0.0147	6.7800e-003	0.0215		222.9264	222.9264	0.0152		223.3057
Worker	0.1293	0.0927	1.2042	2.9400e-003	0.2683	2.1400e-003	0.2704	0.0711	1.9700e-003	0.0731		292.6444	292.6444	9.9800e-003		292.8939
Total	0.1634	1.0622	1.4457	5.0300e-003	0.3195	9.2200e-003	0.3287	0.0859	8.7500e-003	0.0946		515.5708	515.5708	0.0252		516.1996

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.9734	42.8532	19.7374	0.0430		2.0130	2.0130		1.8820	1.8820	0.0000	4,243.6666	4,243.6666	1.1473		4,272.3492
Total	3.9734	42.8532	19.7374	0.0430		2.0130	2.0130		1.8820	1.8820	0.0000	4,243.6666	4,243.6666	1.1473		4,272.3492

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

3.4 Building Construction - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0340	0.9695	0.2414	2.0900e-003	0.0512	7.0800e-003	0.0583	0.0147	6.7800e-003	0.0215		222.9264	222.9264	0.0152		223.3057
Worker	0.1293	0.0927	1.2042	2.9400e-003	0.2683	2.1400e-003	0.2704	0.0711	1.9700e-003	0.0731		292.6444	292.6444	9.9800e-003		292.8939
Total	0.1634	1.0622	1.4457	5.0300e-003	0.3195	9.2200e-003	0.3287	0.0859	8.7500e-003	0.0946		515.5708	515.5708	0.0252		516.1996

3.5 Paving - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797		2,294.0887	2,294.0887	0.7142		2,311.9432
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797		2,294.0887	2,294.0887	0.7142		2,311.9432

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

3.5 Paving - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0808	0.0580	0.7526	1.8400e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		182.9028	182.9028	6.2400e-003		183.0587
Total	0.0808	0.0580	0.7526	1.8400e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		182.9028	182.9028	6.2400e-003		183.0587

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797	0.0000	2,294.0887	2,294.0887	0.7142		2,311.9432
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797	0.0000	2,294.0887	2,294.0887	0.7142		2,311.9432

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

3.5 Paving - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0808	0.0580	0.7526	1.8400e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		182.9028	182.9028	6.2400e-003		183.0587
Total	0.0808	0.0580	0.7526	1.8400e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		182.9028	182.9028	6.2400e-003		183.0587

3.5 Paving - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586		2,257.0025	2,257.0025	0.7141		2,274.8548
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586		2,257.0025	2,257.0025	0.7141		2,274.8548

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

3.5 Paving - 2019

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0735	0.0511	0.6740	1.7800e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		177.1484	177.1484	5.5400e-003		177.2869
Total	0.0735	0.0511	0.6740	1.7800e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		177.1484	177.1484	5.5400e-003		177.2869

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586	0.0000	2,257.0025	2,257.0025	0.7141		2,274.8548
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586	0.0000	2,257.0025	2,257.0025	0.7141		2,274.8548

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

3.5 Paving - 2019

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0735	0.0511	0.6740	1.7800e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		177.1484	177.1484	5.5400e-003		177.2869
Total	0.0735	0.0511	0.6740	1.7800e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		177.1484	177.1484	5.5400e-003		177.2869

3.6 Architectural Coating - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	43.7538					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.3553	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717		375.2641	375.2641	0.0317		376.0565
Total	44.1091	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717		375.2641	375.2641	0.0317		376.0565

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

3.6 Architectural Coating - 2019

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0245	0.0170	0.2247	5.9000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		59.0495	59.0495	1.8500e-003		59.0956
Total	0.0245	0.0170	0.2247	5.9000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		59.0495	59.0495	1.8500e-003		59.0956

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	43.7538					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.3553	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717	0.0000	375.2641	375.2641	0.0317		376.0565
Total	44.1091	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717	0.0000	375.2641	375.2641	0.0317		376.0565

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

3.6 Architectural Coating - 2019

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0245	0.0170	0.2247	5.9000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		59.0495	59.0495	1.8500e-003		59.0956
Total	0.0245	0.0170	0.2247	5.9000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		59.0495	59.0495	1.8500e-003		59.0956

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Fast Food Restaurant with Drive Thru	0.00	0.00	0.00		
High Turnover (Sit Down Restaurant)	0.00	0.00	0.00		
Single Family Housing	0.00	0.00	0.00		
Total	0.00	0.00	0.00		

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Fast Food Restaurant with Drive	16.60	8.40	6.90	2.20	78.80	19.00	29	21	50
High Turnover (Sit Down)	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Single Family Housing	0.00	0.00	0.00	0.00	0.00	0.00	86	11	3

4.4 Fleet Mix

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Fast Food Restaurant with Drive Thru	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991
High Turnover (Sit Down Restaurant)	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991
Single Family Housing	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
NaturalGas Unmitigated	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Fast Food Restaurant with Drive Thru	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
High Turnover (Sit Down Restaurant)	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Fast Food Restaurant with Drive Thru	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
High Turnover (Sit Down Restaurant)	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212
Unmitigated	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2398					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	2.6680					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	0.1372	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245		8.0241	8.0241	7.8800e-003		8.2212
Total	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2398					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	2.6680					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	0.1372	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245		8.0241	8.0241	7.8800e-003		8.2212
Total	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Specific Plan 7 Amendment (Unmitigated) - South Coast AQMD Air District, Summer

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

APPENDIX 3.3:

CALEEMOD OPERATIONAL EMISSIONS MODEL OUTPUTS

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Winter

Specific Plan 7 Amendment (Operations)
South Coast AQMD Air District, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Fast Food Restaurant with Drive Thru	2.00	1000sqft	0.05	2,000.00	0
High Turnover (Sit Down Restaurant)	8.60	1000sqft	0.20	8,600.00	0
Single Family Housing	54.00	Dwelling Unit	6.46	124,146.00	154

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	8			Operational Year	2019
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	702.44	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Winter

Project Characteristics -

Land Use - Lot acreage from the Design Set Map. Average home size conservatively based on the largest floor plan of 2,299 square feet.

Construction Phase - Operations Run Only.

Off-road Equipment - Operations Run Only.

Trips and VMT - Operations Run Only.

Vehicle Trips - Trip rates from Alta Vista Project Trip Generation.

Woodstoves - Gas Fireplace Only.

Construction Off-road Equipment Mitigation - Watering 4 times a day.

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Winter

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterExposedAreaPM10PercentReduction	61	74
tblConstDustMitigation	WaterExposedAreaPM25PercentReduction	61	74
tblConstructionPhase	NumDays	10.00	1.00
tblFireplaces	NumberGas	45.90	54.00
tblFireplaces	NumberNoFireplace	5.40	0.00
tblFireplaces	NumberWood	2.70	0.00
tblLandUse	LandUseSquareFeet	97,200.00	124,146.00
tblLandUse	LotAcreage	17.53	6.46
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblVehicleTrips	CC_TL	8.40	3.00
tblVehicleTrips	CC_TL	8.40	3.00
tblVehicleTrips	CC_TTP	78.80	96.00
tblVehicleTrips	CC_TTP	72.50	96.00
tblVehicleTrips	CNW_TTP	19.00	1.00
tblVehicleTrips	CNW_TTP	19.00	1.00
tblVehicleTrips	CW_TTP	2.20	3.00
tblVehicleTrips	CW_TTP	8.50	3.00
tblVehicleTrips	WD_TR	496.12	820.38
tblVehicleTrips	WD_TR	127.15	315.17
tblVehicleTrips	WD_TR	9.52	9.44

2.0 Emissions Summary

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Winter

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	4.6071	1.1636	18.0949	0.0491		2.2561	2.2561		2.2561	2.2561	318.6885	1,151.5536	1,470.2420	1.5196	0.0210	1,514.4796
Energy	0.1224	1.0902	0.7699	6.6800e-003		0.0846	0.0846		0.0846	0.0846		1,335.1353	1,335.1353	0.0256	0.0245	1,343.0693
Mobile	6.9079	28.4737	52.8594	0.1244	8.5787	0.1554	8.7341	2.2956	0.1461	2.4417		12,663.8161	12,663.8161	0.9742		12,688.1702
Total	11.6374	30.7274	71.7242	0.1802	8.5787	2.4961	11.0747	2.2956	2.4867	4.7823	318.6885	15,150.5049	15,469.1933	2.5194	0.0454	15,545.7191

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	4.6071	1.1636	18.0949	0.0491		2.2561	2.2561		2.2561	2.2561	318.6885	1,151.5536	1,470.2420	1.5196	0.0210	1,514.4796
Energy	0.1224	1.0902	0.7699	6.6800e-003		0.0846	0.0846		0.0846	0.0846		1,335.1353	1,335.1353	0.0256	0.0245	1,343.0693
Mobile	6.9079	28.4737	52.8594	0.1244	8.5787	0.1554	8.7341	2.2956	0.1461	2.4417		12,663.8161	12,663.8161	0.9742		12,688.1702
Total	11.6374	30.7274	71.7242	0.1802	8.5787	2.4961	11.0747	2.2956	2.4867	4.7823	318.6885	15,150.5049	15,469.1933	2.5194	0.0454	15,545.7191

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	1/1/2018	1/1/2018	5	1	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	0	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	8.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	0	0.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Winter

Water Exposed Area

3.2 Site Preparation - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000							

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000							

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Winter

3.2 Site Preparation - 2018

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000							

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000							

4.0 Operational Detail - Mobile

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Winter

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	6.9079	28.4737	52.8594	0.1244	8.5787	0.1554	8.7341	2.2956	0.1461	2.4417		12,663.8161	12,663.8161	0.9742		12,688.1702
Unmitigated	6.9079	28.4737	52.8594	0.1244	8.5787	0.1554	8.7341	2.2956	0.1461	2.4417		12,663.8161	12,663.8161	0.9742		12,688.1702

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Fast Food Restaurant with Drive Thru	1,640.76	1,444.06	1085.44	686,835	686,835
High Turnover (Sit Down Restaurant)	2,710.46	1,361.98	1133.82	1,244,026	1,244,026
Single Family Housing	509.76	535.14	465.48	1,732,701	1,732,701
Total	4,860.98	3,341.18	2,684.74	3,663,562	3,663,562

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Fast Food Restaurant with Drive	16.60	3.00	6.90	3.00	96.00	1.00	29	21	50
High Turnover (Sit Down)	16.60	3.00	6.90	3.00	96.00	1.00	37	20	43
Single Family Housing	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Winter

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Fast Food Restaurant with Drive Thru	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991
High Turnover (Sit Down Restaurant)	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991
Single Family Housing	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.1224	1.0902	0.7699	6.6800e-003		0.0846	0.0846		0.0846	0.0846		1,335.1353	1,335.1353	0.0256	0.0245	1,343.0693
NaturalGas Unmitigated	0.1224	1.0902	0.7699	6.6800e-003		0.0846	0.0846		0.0846	0.0846		1,335.1353	1,335.1353	0.0256	0.0245	1,343.0693

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Winter

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Fast Food Restaurant with Drive Thru	1420.93	0.0153	0.1393	0.1170	8.4000e-004		0.0106	0.0106		0.0106	0.0106		167.1684	167.1684	3.2000e-003	3.0600e-003	168.1618
High Turnover (Sit Down Restaurant)	6110.01	0.0659	0.5990	0.5032	3.5900e-003		0.0455	0.0455		0.0455	0.0455		718.8242	718.8242	0.0138	0.0132	723.0958
Single Family Housing	3817.71	0.0412	0.3518	0.1497	2.2500e-003		0.0285	0.0285		0.0285	0.0285		449.1427	449.1427	8.6100e-003	8.2300e-003	451.8117
Total		0.1224	1.0902	0.7699	6.6800e-003		0.0846	0.0846		0.0846	0.0846		1,335.1353	1,335.1353	0.0256	0.0245	1,343.0693

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Fast Food Restaurant with Drive Thru	1.42093	0.0153	0.1393	0.1170	8.4000e-004		0.0106	0.0106		0.0106	0.0106		167.1684	167.1684	3.2000e-003	3.0600e-003	168.1618
High Turnover (Sit Down Restaurant)	6.11001	0.0659	0.5990	0.5032	3.5900e-003		0.0455	0.0455		0.0455	0.0455		718.8242	718.8242	0.0138	0.0132	723.0958
Single Family Housing	3.81771	0.0412	0.3518	0.1497	2.2500e-003		0.0285	0.0285		0.0285	0.0285		449.1427	449.1427	8.6100e-003	8.2300e-003	451.8117
Total		0.1224	1.0902	0.7699	6.6800e-003		0.0846	0.0846		0.0846	0.0846		1,335.1353	1,335.1353	0.0256	0.0245	1,343.0693

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Winter

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	4.6071	1.1636	18.0949	0.0491		2.2561	2.2561		2.2561	2.2561	318.6885	1,151.5536	1,470.2420	1.5196	0.0210	1,514.4796
Unmitigated	4.6071	1.1636	18.0949	0.0491		2.2561	2.2561		2.2561	2.2561	318.6885	1,151.5536	1,470.2420	1.5196	0.0210	1,514.4796

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Winter

6.2 Area by SubCategory**Unmitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2398					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	2.6680					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.5622	1.1117	13.6167	0.0489		2.2316	2.2316		2.2316	2.2316	318.6885	1,143.5294	1,462.2179	1.5117	0.0210	1,506.2584
Landscaping	0.1372	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245		8.0241	8.0241	7.8800e-003		8.2212
Total	4.6071	1.1636	18.0949	0.0491		2.2561	2.2561		2.2561	2.2561	318.6885	1,151.5536	1,470.2420	1.5196	0.0210	1,514.4796

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Winter

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2398					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	2.6680					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.5622	1.1117	13.6167	0.0489		2.2316	2.2316		2.2316	2.2316	318.6885	1,143.5294	1,462.2179	1.5117	0.0210	1,506.2584
Landscaping	0.1372	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245		8.0241	8.0241	7.8800e-003		8.2212
Total	4.6071	1.1636	18.0949	0.0491		2.2561	2.2561		2.2561	2.2561	318.6885	1,151.5536	1,470.2420	1.5196	0.0210	1,514.4796

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Winter

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Summer

Specific Plan 7 Amendment (Operations)
South Coast AQMD Air District, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Fast Food Restaurant with Drive Thru	2.00	1000sqft	0.05	2,000.00	0
High Turnover (Sit Down Restaurant)	8.60	1000sqft	0.20	8,600.00	0
Single Family Housing	54.00	Dwelling Unit	6.46	124,146.00	154

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	8			Operational Year	2019
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Summer

Project Characteristics -

Land Use - Lot acreage from the Design Set Map. Average home size conservatively based on the largest floor plan of 2,299 square feet.

Construction Phase - Operations Run Only.

Off-road Equipment - Operations Run Only.

Trips and VMT - Operations Run Only.

Vehicle Trips - Trip rates from Alta Vista Project Trip Generation.

Woodstoves - Gas Fireplace Only.

Construction Off-road Equipment Mitigation - Watering 4 times a day.

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Summer

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterExposedAreaPM10PercentReduction	61	74
tblConstDustMitigation	WaterExposedAreaPM25PercentReduction	61	74
tblConstructionPhase	NumDays	10.00	1.00
tblFireplaces	NumberGas	45.90	54.00
tblFireplaces	NumberNoFireplace	5.40	0.00
tblFireplaces	NumberWood	2.70	0.00
tblLandUse	LandUseSquareFeet	97,200.00	124,146.00
tblLandUse	LotAcreage	17.53	6.46
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblVehicleTrips	CC_TL	8.40	3.00
tblVehicleTrips	CC_TL	8.40	3.00
tblVehicleTrips	CC_TTP	78.80	96.00
tblVehicleTrips	CC_TTP	72.50	96.00
tblVehicleTrips	CNW_TTP	19.00	1.00
tblVehicleTrips	CNW_TTP	19.00	1.00
tblVehicleTrips	CW_TTP	2.20	3.00
tblVehicleTrips	CW_TTP	8.50	3.00
tblVehicleTrips	WD_TR	496.12	820.38
tblVehicleTrips	WD_TR	127.15	315.17
tblVehicleTrips	WD_TR	9.52	9.44

2.0 Emissions Summary

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Summer

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	4.6071	1.1636	18.0949	0.0491		2.2561	2.2561		2.2561	2.2561	318.6885	1,151.5536	1,470.2420	1.5196	0.0210	1,514.4796
Energy	0.1224	1.0902	0.7699	6.6800e-003		0.0846	0.0846		0.0846	0.0846		1,335.1353	1,335.1353	0.0256	0.0245	1,343.0693
Mobile	7.2841	28.5367	51.7573	0.1322	8.5787	0.1518	8.7305	2.2956	0.1426	2.4383		13,462.5518	13,462.5518	0.9329		13,485.8748
Total	12.0136	30.7905	70.6221	0.1880	8.5787	2.4925	11.0712	2.2956	2.4833	4.7789	318.6885	15,949.2406	16,267.9291	2.4781	0.0454	16,343.4237

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	4.6071	1.1636	18.0949	0.0491		2.2561	2.2561		2.2561	2.2561	318.6885	1,151.5536	1,470.2420	1.5196	0.0210	1,514.4796
Energy	0.1224	1.0902	0.7699	6.6800e-003		0.0846	0.0846		0.0846	0.0846		1,335.1353	1,335.1353	0.0256	0.0245	1,343.0693
Mobile	7.2841	28.5367	51.7573	0.1322	8.5787	0.1518	8.7305	2.2956	0.1426	2.4383		13,462.5518	13,462.5518	0.9329		13,485.8748
Total	12.0136	30.7905	70.6221	0.1880	8.5787	2.4925	11.0712	2.2956	2.4833	4.7789	318.6885	15,949.2406	16,267.9291	2.4781	0.0454	16,343.4237

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	1/1/2018	1/1/2018	5	1	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	0	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	8.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	0	0.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Summer

Water Exposed Area

3.2 Site Preparation - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000							

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000							

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Summer

3.2 Site Preparation - 2018

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000							

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000							

4.0 Operational Detail - Mobile

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Summer

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	7.2841	28.5367	51.7573	0.1322	8.5787	0.1518	8.7305	2.2956	0.1426	2.4383		13,462.55 18	13,462.55 18	0.9329		13,485.87 48
Unmitigated	7.2841	28.5367	51.7573	0.1322	8.5787	0.1518	8.7305	2.2956	0.1426	2.4383		13,462.55 18	13,462.55 18	0.9329		13,485.87 48

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Fast Food Restaurant with Drive Thru	1,640.76	1,444.06	1085.44	686,835	686,835
High Turnover (Sit Down Restaurant)	2,710.46	1,361.98	1133.82	1,244,026	1,244,026
Single Family Housing	509.76	535.14	465.48	1,732,701	1,732,701
Total	4,860.98	3,341.18	2,684.74	3,663,562	3,663,562

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Fast Food Restaurant with Drive	16.60	3.00	6.90	3.00	96.00	1.00	29	21	50
High Turnover (Sit Down	16.60	3.00	6.90	3.00	96.00	1.00	37	20	43
Single Family Housing	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Summer

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Fast Food Restaurant with Drive Thru	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991
High Turnover (Sit Down Restaurant)	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991
Single Family Housing	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day										lb/day					
NaturalGas Mitigated	0.1224	1.0902	0.7699	6.6800e-003		0.0846	0.0846		0.0846	0.0846		1,335.1353	1,335.1353	0.0256	0.0245	1,343.0693
NaturalGas Unmitigated	0.1224	1.0902	0.7699	6.6800e-003		0.0846	0.0846		0.0846	0.0846		1,335.1353	1,335.1353	0.0256	0.0245	1,343.0693

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Summer

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Fast Food Restaurant with Drive Thru	1420.93	0.0153	0.1393	0.1170	8.4000e-004		0.0106	0.0106		0.0106	0.0106		167.1684	167.1684	3.2000e-003	3.0600e-003	168.1618
High Turnover (Sit Down Restaurant)	6110.01	0.0659	0.5990	0.5032	3.5900e-003		0.0455	0.0455		0.0455	0.0455		718.8242	718.8242	0.0138	0.0132	723.0958
Single Family Housing	3817.71	0.0412	0.3518	0.1497	2.2500e-003		0.0285	0.0285		0.0285	0.0285		449.1427	449.1427	8.6100e-003	8.2300e-003	451.8117
Total		0.1224	1.0902	0.7699	6.6800e-003		0.0846	0.0846		0.0846	0.0846		1,335.1353	1,335.1353	0.0256	0.0245	1,343.0693

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Fast Food Restaurant with Drive Thru	1.42093	0.0153	0.1393	0.1170	8.4000e-004		0.0106	0.0106		0.0106	0.0106		167.1684	167.1684	3.2000e-003	3.0600e-003	168.1618
High Turnover (Sit Down Restaurant)	6.11001	0.0659	0.5990	0.5032	3.5900e-003		0.0455	0.0455		0.0455	0.0455		718.8242	718.8242	0.0138	0.0132	723.0958
Single Family Housing	3.81771	0.0412	0.3518	0.1497	2.2500e-003		0.0285	0.0285		0.0285	0.0285		449.1427	449.1427	8.6100e-003	8.2300e-003	451.8117
Total		0.1224	1.0902	0.7699	6.6800e-003		0.0846	0.0846		0.0846	0.0846		1,335.1353	1,335.1353	0.0256	0.0245	1,343.0693

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Summer

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	4.6071	1.1636	18.0949	0.0491		2.2561	2.2561		2.2561	2.2561	318.6885	1,151.5536	1,470.2420	1.5196	0.0210	1,514.4796
Unmitigated	4.6071	1.1636	18.0949	0.0491		2.2561	2.2561		2.2561	2.2561	318.6885	1,151.5536	1,470.2420	1.5196	0.0210	1,514.4796

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Summer

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2398					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	2.6680					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.5622	1.1117	13.6167	0.0489		2.2316	2.2316		2.2316	2.2316	318.6885	1,143.5294	1,462.2179	1.5117	0.0210	1,506.2584
Landscaping	0.1372	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245		8.0241	8.0241	7.8800e-003		8.2212
Total	4.6071	1.1636	18.0949	0.0491		2.2561	2.2561		2.2561	2.2561	318.6885	1,151.5536	1,470.2420	1.5196	0.0210	1,514.4796

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Summer

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2398					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	2.6680					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.5622	1.1117	13.6167	0.0489		2.2316	2.2316		2.2316	2.2316	318.6885	1,143.5294	1,462.2179	1.5117	0.0210	1,506.2584
Landscaping	0.1372	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245		8.0241	8.0241	7.8800e-003		8.2212
Total	4.6071	1.1636	18.0949	0.0491		2.2561	2.2561		2.2561	2.2561	318.6885	1,151.5536	1,470.2420	1.5196	0.0210	1,514.4796

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Specific Plan 7 Amendment (Operations) - South Coast AQMD Air District, Summer

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

APPENDIX 3.4:

CALEEMOD CONSTRUCTION EMISSIONS MODEL OUTPUTS (MITIGATED)

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

Specific Plan 7 Amendment (Mitigated)
South Coast AQMD Air District, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Fast Food Restaurant with Drive Thru	2.00	1000sqft	0.05	2,000.00	0
High Turnover (Sit Down Restaurant)	8.60	1000sqft	0.20	8,600.00	0
Single Family Housing	54.00	Dwelling Unit	6.46	124,146.00	154

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	8			Operational Year	2019
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

Project Characteristics -

Land Use - Lot acreage from the Design Set Map. Average home size conservatively based on the largest floor plan of 2,299 square feet.

Construction Phase -

Off-road Equipment - Hours are based on 8-hour workday.

Off-road Equipment - Crawler Tractors used in lieu of Tractors/Loaders/Backhoes.

Off-road Equipment - Crawler Tractors used in lieu of Tractors/Loaders/Backhoes.

Off-road Equipment -

Off-road Equipment - Crawler Tractors used in lieu of Tractors/Loaders/Backhoes.

Grading -

Vehicle Trips - Construction Run Only.

Woodstoves - Construction Run Only.

Construction Off-road Equipment Mitigation - Water 4 times per day.

Trips and VMT -

Energy Use - Construction Run Only.

Water And Wastewater - Construction Run Only.

Solid Waste - Construction Run Only.

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterExposedAreaPM10PercentReduction	61	74
tblConstDustMitigation	WaterExposedAreaPM25PercentReduction	61	74
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	10.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	4.00
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblEnergyUse	LightingElect	7.66	0.00
tblEnergyUse	LightingElect	7.66	0.00
tblEnergyUse	LightingElect	1,608.84	0.00
tblEnergyUse	NT24E	20.11	0.00
tblEnergyUse	NT24E	20.11	0.00
tblEnergyUse	NT24E	6,155.97	0.00
tblEnergyUse	NT24NG	180.76	0.00
tblEnergyUse	NT24NG	180.76	0.00
tblEnergyUse	NT24NG	5,516.00	0.00
tblEnergyUse	T24E	8.71	0.00
tblEnergyUse	T24E	8.71	0.00
tblEnergyUse	T24E	253.73	0.00
tblEnergyUse	T24NG	78.56	0.00
tblEnergyUse	T24NG	78.56	0.00
tblEnergyUse	T24NG	20,288.91	0.00
tblFireplaces	NumberGas	45.90	0.00
tblFireplaces	NumberNoFireplace	5.40	0.00
tblFireplaces	NumberWood	2.70	0.00
tblGrading	MaterialImported	0.00	1,900.00
tblLandUse	LandUseSquareFeet	97,200.00	124,146.00
tblLandUse	LotAcreage	17.53	6.46
tblOffRoadEquipment	OffRoadEquipmentType		Crawler Tractors
tblOffRoadEquipment	OffRoadEquipmentType		Crawler Tractors
tblOffRoadEquipment	OffRoadEquipmentType		Crawler Tractors

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblOffRoadEquipment	UsageHours	6.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblSolidWaste	SolidWasteGenerationRate	23.04	0.00
tblSolidWaste	SolidWasteGenerationRate	102.34	0.00
tblSolidWaste	SolidWasteGenerationRate	63.14	0.00
tblVehicleTrips	HO_TL	8.70	0.00
tblVehicleTrips	HO_TTP	40.60	0.00
tblVehicleTrips	HS_TL	5.90	0.00
tblVehicleTrips	HS_TTP	19.20	0.00
tblVehicleTrips	HW_TL	14.70	0.00
tblVehicleTrips	HW_TTP	40.20	0.00
tblVehicleTrips	ST_TR	722.03	0.00
tblVehicleTrips	ST_TR	158.37	0.00
tblVehicleTrips	ST_TR	9.91	0.00
tblVehicleTrips	SU_TR	542.72	0.00
tblVehicleTrips	SU_TR	131.84	0.00
tblVehicleTrips	SU_TR	8.62	0.00
tblVehicleTrips	WD_TR	496.12	0.00
tblVehicleTrips	WD_TR	127.15	0.00
tblVehicleTrips	WD_TR	9.52	0.00
tblWater	IndoorWaterUseRate	607,067.42	0.00
tblWater	IndoorWaterUseRate	2,610,389.93	0.00
tblWater	IndoorWaterUseRate	3,518,317.38	0.00

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

tblWater	OutdoorWaterUseRate	38,748.98	0.00
tblWater	OutdoorWaterUseRate	166,620.63	0.00
tblWater	OutdoorWaterUseRate	2,218,069.65	0.00
tblWoodstoves	NumberCatalytic	2.70	0.00
tblWoodstoves	NumberNoncatalytic	2.70	0.00

2.0 Emissions Summary

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	3.0449	0.0519	4.4782	2.4000e-004	0.0000	0.0245	0.0245	0.0000	0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	3.0449	0.0519	4.4782	2.4000e-004	0.0000	0.0245	0.0245	0.0000	0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	1/1/2018	1/12/2018	5	10	
2	Grading	Grading	1/13/2018	2/9/2018	5	20	
3	Building Construction	Building Construction	2/10/2018	12/28/2018	5	230	
4	Paving	Paving	12/29/2018	1/25/2019	5	20	
5	Architectural Coating	Architectural Coating	1/26/2019	2/22/2019	5	20	

Acres of Grading (Site Preparation Phase): 20

Acres of Grading (Grading Phase): 40

Acres of Paving: 0

Residential Indoor: 251,396; Residential Outdoor: 83,799; Non-Residential Indoor: 15,900; Non-Residential Outdoor: 5,300; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Crawler Tractors	4	8.00	212	0.43
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Grading	Crawler Tractors	3	8.00	212	0.43
Grading	Excavators	1	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Crawler Tractors	3	8.00	212	0.43
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	8.00	78	0.48

Trips and VMT

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	6	15.00	0.00	238.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	24.00	8.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	5.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

Water Exposed Area

3.2 Site Preparation - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					20.1873	0.0000	20.1873	10.1597	0.0000	10.1597			0.0000			0.0000
Off-Road	6.0597	71.6980	23.7636	0.0570		3.1187	3.1187		2.8692	2.8692		5,742.1116	5,742.1116	1.7876		5,786.8015
Total	6.0597	71.6980	23.7636	0.0570	20.1873	3.1187	23.3060	10.1597	2.8692	13.0289		5,742.1116	5,742.1116	1.7876		5,786.8015

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

3.2 Site Preparation - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1055	0.0762	0.8174	2.0600e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		205.3223	205.3223	7.0100e-003		205.4974
Total	0.1055	0.0762	0.8174	2.0600e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		205.3223	205.3223	7.0100e-003		205.4974

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					5.2487	0.0000	5.2487	2.6415	0.0000	2.6415			0.0000			0.0000
Off-Road	1.3991	27.0483	30.3128	0.0570		1.0260	1.0260		1.0260	1.0260	0.0000	5,742.1116	5,742.1116	1.7876		5,786.8015
Total	1.3991	27.0483	30.3128	0.0570	5.2487	1.0260	6.2747	2.6415	1.0260	3.6675	0.0000	5,742.1116	5,742.1116	1.7876		5,786.8015

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

3.2 Site Preparation - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1055	0.0762	0.8174	2.0600e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		205.3223	205.3223	7.0100e-003		205.4974
Total	0.1055	0.0762	0.8174	2.0600e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		205.3223	205.3223	7.0100e-003		205.4974

3.3 Grading - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.1538	0.0000	8.1538	3.5409	0.0000	3.5409			0.0000			0.0000
Off-Road	3.8960	48.2970	17.5424	0.0439		1.9577	1.9577		1.8011	1.8011		4,420.8874	4,420.8874	1.3763		4,455,2944
Total	3.8960	48.2970	17.5424	0.0439	8.1538	1.9577	10.1115	3.5409	1.8011	5.3419		4,420.8874	4,420.8874	1.3763		4,455,2944

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

3.3 Grading - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1062	3.7152	0.7358	9.2900e-003	0.2080	0.0144	0.2223	0.0570	0.0137	0.0707		1,001.2866	1,001.2866	0.0730		1,003.1104
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0879	0.0635	0.6811	1.7200e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		171.1019	171.1019	5.8400e-003		171.2479
Total	0.1941	3.7786	1.4170	0.0110	0.3756	0.0157	0.3913	0.1015	0.0150	0.1164		1,172.3885	1,172.3885	0.0788		1,174.3582

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.1200	0.0000	2.1200	0.9206	0.0000	0.9206			0.0000			0.0000
Off-Road	1.0773	20.8268	24.5051	0.0439		0.8154	0.8154		0.8154	0.8154	0.0000	4,420.8874	4,420.8874	1.3763		4,455.2944
Total	1.0773	20.8268	24.5051	0.0439	2.1200	0.8154	2.9354	0.9206	0.8154	1.7360	0.0000	4,420.8874	4,420.8874	1.3763		4,455.2944

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

3.3 Grading - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1062	3.7152	0.7358	9.2900e-003	0.2080	0.0144	0.2223	0.0570	0.0137	0.0707		1,001.2866	1,001.2866	0.0730		1,003.1104
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0879	0.0635	0.6811	1.7200e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		171.1019	171.1019	5.8400e-003		171.2479
Total	0.1941	3.7786	1.4170	0.0110	0.3756	0.0157	0.3913	0.1015	0.0150	0.1164		1,172.3885	1,172.3885	0.0788		1,174.3582

3.4 Building Construction - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.9734	42.8532	19.7374	0.0430		2.0130	2.0130		1.8820	1.8820		4,243.6666	4,243.6666	1.1473		4,272.3492
Total	3.9734	42.8532	19.7374	0.0430		2.0130	2.0130		1.8820	1.8820		4,243.6666	4,243.6666	1.1473		4,272.3492

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

3.4 Building Construction - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0355	0.9711	0.2680	2.0400e-003	0.0512	7.1900e-003	0.0584	0.0147	6.8800e-003	0.0216		216.6052	216.6052	0.0163		217.0126
Worker	0.1406	0.1016	1.0898	2.7500e-003	0.2683	2.1400e-003	0.2704	0.0711	1.9700e-003	0.0731		273.7630	273.7630	9.3400e-003		273.9966
Total	0.1761	1.0727	1.3578	4.7900e-003	0.3195	9.3300e-003	0.3288	0.0859	8.8500e-003	0.0947		490.3682	490.3682	0.0256		491.0092

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.2022	24.4501	24.8526	0.0430		1.2809	1.2809		1.2508	1.2508	0.0000	4,243.6666	4,243.6666	1.1473		4,272.3492
Total	2.2022	24.4501	24.8526	0.0430		1.2809	1.2809		1.2508	1.2508	0.0000	4,243.6666	4,243.6666	1.1473		4,272.3492

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

3.4 Building Construction - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0355	0.9711	0.2680	2.0400e-003	0.0512	7.1900e-003	0.0584	0.0147	6.8800e-003	0.0216		216.6052	216.6052	0.0163		217.0126
Worker	0.1406	0.1016	1.0898	2.7500e-003	0.2683	2.1400e-003	0.2704	0.0711	1.9700e-003	0.0731		273.7630	273.7630	9.3400e-003		273.9966
Total	0.1761	1.0727	1.3578	4.7900e-003	0.3195	9.3300e-003	0.3288	0.0859	8.8500e-003	0.0947		490.3682	490.3682	0.0256		491.0092

3.5 Paving - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797		2,294.0887	2,294.0887	0.7142		2,311.9432
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797		2,294.0887	2,294.0887	0.7142		2,311.9432

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

3.5 Paving - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0879	0.0635	0.6811	1.7200e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		171.1019	171.1019	5.8400e-003		171.2479
Total	0.0879	0.0635	0.6811	1.7200e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		171.1019	171.1019	5.8400e-003		171.2479

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797	0.0000	2,294.0887	2,294.0887	0.7142		2,311.9432
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797	0.0000	2,294.0887	2,294.0887	0.7142		2,311.9432

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

3.5 Paving - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0879	0.0635	0.6811	1.7200e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		171.1019	171.1019	5.8400e-003		171.2479
Total	0.0879	0.0635	0.6811	1.7200e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		171.1019	171.1019	5.8400e-003		171.2479

3.5 Paving - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586		2,257.0025	2,257.0025	0.7141		2,274.8548
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586		2,257.0025	2,257.0025	0.7141		2,274.8548

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

3.5 Paving - 2019

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0800	0.0560	0.6081	1.6600e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		165.6984	165.6984	5.1800e-003		165.8278
Total	0.0800	0.0560	0.6081	1.6600e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		165.6984	165.6984	5.1800e-003		165.8278

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586	0.0000	2,257.0025	2,257.0025	0.7141		2,274.8548
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586	0.0000	2,257.0025	2,257.0025	0.7141		2,274.8548

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

3.5 Paving - 2019

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0800	0.0560	0.6081	1.6600e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		165.6984	165.6984	5.1800e-003		165.8278
Total	0.0800	0.0560	0.6081	1.6600e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		165.6984	165.6984	5.1800e-003		165.8278

3.6 Architectural Coating - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	43.7538					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.3553	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717		375.2641	375.2641	0.0317		376.0565
Total	44.1091	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717		375.2641	375.2641	0.0317		376.0565

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

3.6 Architectural Coating - 2019

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0267	0.0187	0.2027	5.5000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		55.2328	55.2328	1.7300e-003		55.2759
Total	0.0267	0.0187	0.2027	5.5000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		55.2328	55.2328	1.7300e-003		55.2759

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	43.7538					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.3553	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717	0.0000	375.2641	375.2641	0.0317		376.0565
Total	44.1091	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717	0.0000	375.2641	375.2641	0.0317		376.0565

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

3.6 Architectural Coating - 2019

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0267	0.0187	0.2027	5.5000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		55.2328	55.2328	1.7300e-003		55.2759
Total	0.0267	0.0187	0.2027	5.5000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		55.2328	55.2328	1.7300e-003		55.2759

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Fast Food Restaurant with Drive Thru	0.00	0.00	0.00		
High Turnover (Sit Down Restaurant)	0.00	0.00	0.00		
Single Family Housing	0.00	0.00	0.00		
Total	0.00	0.00	0.00		

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Fast Food Restaurant with Drive	16.60	8.40	6.90	2.20	78.80	19.00	29	21	50
High Turnover (Sit Down)	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Single Family Housing	0.00	0.00	0.00	0.00	0.00	0.00	86	11	3

4.4 Fleet Mix

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Fast Food Restaurant with Drive Thru	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991
High Turnover (Sit Down Restaurant)	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991
Single Family Housing	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day										lb/day					
NaturalGas Mitigated	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
NaturalGas Unmitigated	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Fast Food Restaurant with Drive Thru	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
High Turnover (Sit Down Restaurant)	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Fast Food Restaurant with Drive Thru	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
High Turnover (Sit Down Restaurant)	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212
Unmitigated	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

6.2 Area by SubCategory**Unmitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2398					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	2.6680					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	0.1372	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245		8.0241	8.0241	7.8800e-003		8.2212
Total	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2398					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	2.6680					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	0.1372	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245		8.0241	8.0241	7.8800e-003		8.2212
Total	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Winter

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

Specific Plan 7 Amendment (Mitigated)
South Coast AQMD Air District, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Fast Food Restaurant with Drive Thru	2.00	1000sqft	0.05	2,000.00	0
High Turnover (Sit Down Restaurant)	8.60	1000sqft	0.20	8,600.00	0
Single Family Housing	54.00	Dwelling Unit	6.46	124,146.00	154

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	31
Climate Zone	8			Operational Year	2019
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

Project Characteristics -

Land Use - Lot acreage from the Design Set Map. Average home size conservatively based on the largest floor plan of 2,299 square feet.

Construction Phase -

Off-road Equipment - Hours are based on 8-hour workday.

Off-road Equipment - Crawler Tractors used in lieu of Tractors/Loaders/Backhoes.

Off-road Equipment - Crawler Tractors used in lieu of Tractors/Loaders/Backhoes.

Off-road Equipment -

Off-road Equipment - Crawler Tractors used in lieu of Tractors/Loaders/Backhoes.

Grading -

Vehicle Trips - Construction Run Only.

Woodstoves - Construction Run Only.

Construction Off-road Equipment Mitigation - Water 4 times per day.

Trips and VMT -

Energy Use - Construction Run Only.

Water And Wastewater - Construction Run Only.

Solid Waste - Construction Run Only.

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterExposedAreaPM10PercentReduction	61	74
tblConstDustMitigation	WaterExposedAreaPM25PercentReduction	61	74
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	10.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	4.00
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblConstEquipMitigation	Tier	No Change	Tier 3
tblEnergyUse	LightingElect	7.66	0.00
tblEnergyUse	LightingElect	7.66	0.00
tblEnergyUse	LightingElect	1,608.84	0.00
tblEnergyUse	NT24E	20.11	0.00
tblEnergyUse	NT24E	20.11	0.00
tblEnergyUse	NT24E	6,155.97	0.00
tblEnergyUse	NT24NG	180.76	0.00
tblEnergyUse	NT24NG	180.76	0.00
tblEnergyUse	NT24NG	5,516.00	0.00
tblEnergyUse	T24E	8.71	0.00
tblEnergyUse	T24E	8.71	0.00
tblEnergyUse	T24E	253.73	0.00
tblEnergyUse	T24NG	78.56	0.00
tblEnergyUse	T24NG	78.56	0.00
tblEnergyUse	T24NG	20,288.91	0.00
tblFireplaces	NumberGas	45.90	0.00
tblFireplaces	NumberNoFireplace	5.40	0.00
tblFireplaces	NumberWood	2.70	0.00
tblGrading	MaterialImported	0.00	1,900.00
tblLandUse	LandUseSquareFeet	97,200.00	124,146.00
tblLandUse	LotAcreage	17.53	6.46
tblOffRoadEquipment	OffRoadEquipmentType		Crawler Tractors
tblOffRoadEquipment	OffRoadEquipmentType		Crawler Tractors
tblOffRoadEquipment	OffRoadEquipmentType		Crawler Tractors

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblOffRoadEquipment	UsageHours	6.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblSolidWaste	SolidWasteGenerationRate	23.04	0.00
tblSolidWaste	SolidWasteGenerationRate	102.34	0.00
tblSolidWaste	SolidWasteGenerationRate	63.14	0.00
tblVehicleTrips	HO_TL	8.70	0.00
tblVehicleTrips	HO_TTP	40.60	0.00
tblVehicleTrips	HS_TL	5.90	0.00
tblVehicleTrips	HS_TTP	19.20	0.00
tblVehicleTrips	HW_TL	14.70	0.00
tblVehicleTrips	HW_TTP	40.20	0.00
tblVehicleTrips	ST_TR	722.03	0.00
tblVehicleTrips	ST_TR	158.37	0.00
tblVehicleTrips	ST_TR	9.91	0.00
tblVehicleTrips	SU_TR	542.72	0.00
tblVehicleTrips	SU_TR	131.84	0.00
tblVehicleTrips	SU_TR	8.62	0.00
tblVehicleTrips	WD_TR	496.12	0.00
tblVehicleTrips	WD_TR	127.15	0.00
tblVehicleTrips	WD_TR	9.52	0.00
tblWater	IndoorWaterUseRate	607,067.42	0.00
tblWater	IndoorWaterUseRate	2,610,389.93	0.00
tblWater	IndoorWaterUseRate	3,518,317.38	0.00

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

tblWater	OutdoorWaterUseRate	38,748.98	0.00
tblWater	OutdoorWaterUseRate	166,620.63	0.00
tblWater	OutdoorWaterUseRate	2,218,069.65	0.00
tblWoodstoves	NumberCatalytic	2.70	0.00
tblWoodstoves	NumberNoncatalytic	2.70	0.00

2.0 Emissions Summary

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	3.0449	0.0519	4.4782	2.4000e-004	0.0000	0.0245	0.0245	0.0000	0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212
Energy	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Mobile	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	3.0449	0.0519	4.4782	2.4000e-004	0.0000	0.0245	0.0245	0.0000	0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	1/1/2018	1/12/2018	5	10	
2	Grading	Grading	1/13/2018	2/9/2018	5	20	
3	Building Construction	Building Construction	2/10/2018	12/28/2018	5	230	
4	Paving	Paving	12/29/2018	1/25/2019	5	20	
5	Architectural Coating	Architectural Coating	1/26/2019	2/22/2019	5	20	

Acres of Grading (Site Preparation Phase): 20

Acres of Grading (Grading Phase): 40

Acres of Paving: 0

Residential Indoor: 251,396; Residential Outdoor: 83,799; Non-Residential Indoor: 15,900; Non-Residential Outdoor: 5,300; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Crawler Tractors	4	8.00	212	0.43
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Grading	Crawler Tractors	3	8.00	212	0.43
Grading	Excavators	1	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Crawler Tractors	3	8.00	212	0.43
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	8.00	78	0.48

Trips and VMT

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	6	15.00	0.00	238.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	24.00	8.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	5.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

Water Exposed Area

3.2 Site Preparation - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					20.1873	0.0000	20.1873	10.1597	0.0000	10.1597			0.0000			0.0000
Off-Road	6.0597	71.6980	23.7636	0.0570		3.1187	3.1187		2.8692	2.8692		5,742.1116	5,742.1116	1.7876		5,786.8015
Total	6.0597	71.6980	23.7636	0.0570	20.1873	3.1187	23.3060	10.1597	2.8692	13.0289		5,742.1116	5,742.1116	1.7876		5,786.8015

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

3.2 Site Preparation - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0970	0.0695	0.9032	2.2100e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		219.4833	219.4833	7.4800e-003		219.6704
Total	0.0970	0.0695	0.9032	2.2100e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		219.4833	219.4833	7.4800e-003		219.6704

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					5.2487	0.0000	5.2487	2.6415	0.0000	2.6415			0.0000			0.0000
Off-Road	1.3991	27.0483	30.3128	0.0570		1.0260	1.0260		1.0260	1.0260	0.0000	5,742.1116	5,742.1116	1.7876		5,786.8015
Total	1.3991	27.0483	30.3128	0.0570	5.2487	1.0260	6.2747	2.6415	1.0260	3.6675	0.0000	5,742.1116	5,742.1116	1.7876		5,786.8015

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

3.2 Site Preparation - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0970	0.0695	0.9032	2.2100e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		219.4833	219.4833	7.4800e-003		219.6704
Total	0.0970	0.0695	0.9032	2.2100e-003	0.2012	1.6000e-003	0.2028	0.0534	1.4800e-003	0.0548		219.4833	219.4833	7.4800e-003		219.6704

3.3 Grading - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.1538	0.0000	8.1538	3.5409	0.0000	3.5409			0.0000			0.0000
Off-Road	3.8960	48.2970	17.5424	0.0439		1.9577	1.9577		1.8011	1.8011		4,420.8874	4,420.8874	1.3763		4,455.2944
Total	3.8960	48.2970	17.5424	0.0439	8.1538	1.9577	10.1115	3.5409	1.8011	5.3419		4,420.8874	4,420.8874	1.3763		4,455.2944

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

3.3 Grading - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1032	3.6640	0.6785	9.4600e-003	0.2080	0.0141	0.2220	0.0570	0.0135	0.0705		1,019.5756	1,019.5756	0.0697		1,021.3189
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0808	0.0580	0.7526	1.8400e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		182.9028	182.9028	6.2400e-003		183.0587
Total	0.1840	3.7220	1.4311	0.0113	0.3756	0.0154	0.3910	0.1015	0.0147	0.1162		1,202.4783	1,202.4783	0.0760		1,204.3776

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.1200	0.0000	2.1200	0.9206	0.0000	0.9206			0.0000			0.0000
Off-Road	1.0773	20.8268	24.5051	0.0439		0.8154	0.8154		0.8154	0.8154	0.0000	4,420.8874	4,420.8874	1.3763		4,455.2944
Total	1.0773	20.8268	24.5051	0.0439	2.1200	0.8154	2.9354	0.9206	0.8154	1.7360	0.0000	4,420.8874	4,420.8874	1.3763		4,455.2944

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

3.3 Grading - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1032	3.6640	0.6785	9.4600e-003	0.2080	0.0141	0.2220	0.0570	0.0135	0.0705		1,019.5756	1,019.5756	0.0697		1,021.3189
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0808	0.0580	0.7526	1.8400e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		182.9028	182.9028	6.2400e-003		183.0587
Total	0.1840	3.7220	1.4311	0.0113	0.3756	0.0154	0.3910	0.1015	0.0147	0.1162		1,202.4783	1,202.4783	0.0760		1,204.3776

3.4 Building Construction - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	3.9734	42.8532	19.7374	0.0430		2.0130	2.0130		1.8820	1.8820		4,243.6666	4,243.6666	1.1473		4,272.3492
Total	3.9734	42.8532	19.7374	0.0430		2.0130	2.0130		1.8820	1.8820		4,243.6666	4,243.6666	1.1473		4,272.3492

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

3.4 Building Construction - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0340	0.9695	0.2414	2.0900e-003	0.0512	7.0800e-003	0.0583	0.0147	6.7800e-003	0.0215		222.9264	222.9264	0.0152		223.3057
Worker	0.1293	0.0927	1.2042	2.9400e-003	0.2683	2.1400e-003	0.2704	0.0711	1.9700e-003	0.0731		292.6444	292.6444	9.9800e-003		292.8939
Total	0.1634	1.0622	1.4457	5.0300e-003	0.3195	9.2200e-003	0.3287	0.0859	8.7500e-003	0.0946		515.5708	515.5708	0.0252		516.1996

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.2022	24.4501	24.8526	0.0430		1.2809	1.2809		1.2508	1.2508	0.0000	4,243.6666	4,243.6666	1.1473		4,272.3492
Total	2.2022	24.4501	24.8526	0.0430		1.2809	1.2809		1.2508	1.2508	0.0000	4,243.6666	4,243.6666	1.1473		4,272.3492

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

3.4 Building Construction - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0340	0.9695	0.2414	2.0900e-003	0.0512	7.0800e-003	0.0583	0.0147	6.7800e-003	0.0215		222.9264	222.9264	0.0152		223.3057
Worker	0.1293	0.0927	1.2042	2.9400e-003	0.2683	2.1400e-003	0.2704	0.0711	1.9700e-003	0.0731		292.6444	292.6444	9.9800e-003		292.8939
Total	0.1634	1.0622	1.4457	5.0300e-003	0.3195	9.2200e-003	0.3287	0.0859	8.7500e-003	0.0946		515.5708	515.5708	0.0252		516.1996

3.5 Paving - 2018

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797		2,294.0887	2,294.0887	0.7142		2,311.9432
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797		2,294.0887	2,294.0887	0.7142		2,311.9432

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

3.5 Paving - 2018

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0808	0.0580	0.7526	1.8400e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		182.9028	182.9028	6.2400e-003		183.0587
Total	0.0808	0.0580	0.7526	1.8400e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		182.9028	182.9028	6.2400e-003		183.0587

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797	0.0000	2,294.0887	2,294.0887	0.7142		2,311.9432
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.6437	17.5209	14.7964	0.0228		0.9561	0.9561		0.8797	0.8797	0.0000	2,294.0887	2,294.0887	0.7142		2,311.9432

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

3.5 Paving - 2018

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0808	0.0580	0.7526	1.8400e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		182.9028	182.9028	6.2400e-003		183.0587
Total	0.0808	0.0580	0.7526	1.8400e-003	0.1677	1.3400e-003	0.1690	0.0445	1.2300e-003	0.0457		182.9028	182.9028	6.2400e-003		183.0587

3.5 Paving - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586		2,257.0025	2,257.0025	0.7141		2,274.8548
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586		2,257.0025	2,257.0025	0.7141		2,274.8548

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

3.5 Paving - 2019

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0735	0.0511	0.6740	1.7800e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		177.1484	177.1484	5.5400e-003		177.2869
Total	0.0735	0.0511	0.6740	1.7800e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		177.1484	177.1484	5.5400e-003		177.2869

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586	0.0000	2,257.0025	2,257.0025	0.7141		2,274.8548
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.4544	15.2441	14.6648	0.0228		0.8246	0.8246		0.7586	0.7586	0.0000	2,257.0025	2,257.0025	0.7141		2,274.8548

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

3.5 Paving - 2019

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0735	0.0511	0.6740	1.7800e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		177.1484	177.1484	5.5400e-003		177.2869
Total	0.0735	0.0511	0.6740	1.7800e-003	0.1677	1.3000e-003	0.1690	0.0445	1.2000e-003	0.0457		177.1484	177.1484	5.5400e-003		177.2869

3.6 Architectural Coating - 2019

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	43.7538					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.3553	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717		375.2641	375.2641	0.0317		376.0565
Total	44.1091	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717		375.2641	375.2641	0.0317		376.0565

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

3.6 Architectural Coating - 2019

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0245	0.0170	0.2247	5.9000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		59.0495	59.0495	1.8500e-003		59.0956
Total	0.0245	0.0170	0.2247	5.9000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		59.0495	59.0495	1.8500e-003		59.0956

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	43.7538					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.3553	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717	0.0000	375.2641	375.2641	0.0317		376.0565
Total	44.1091	2.4472	2.4551	3.9600e-003		0.1717	0.1717		0.1717	0.1717	0.0000	375.2641	375.2641	0.0317		376.0565

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

3.6 Architectural Coating - 2019

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0245	0.0170	0.2247	5.9000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		59.0495	59.0495	1.8500e-003		59.0956
Total	0.0245	0.0170	0.2247	5.9000e-004	0.0559	4.3000e-004	0.0563	0.0148	4.0000e-004	0.0152		59.0495	59.0495	1.8500e-003		59.0956

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Unmitigated	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Fast Food Restaurant with Drive Thru	0.00	0.00	0.00		
High Turnover (Sit Down Restaurant)	0.00	0.00	0.00		
Single Family Housing	0.00	0.00	0.00		
Total	0.00	0.00	0.00		

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Fast Food Restaurant with Drive	16.60	8.40	6.90	2.20	78.80	19.00	29	21	50
High Turnover (Sit Down)	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Single Family Housing	0.00	0.00	0.00	0.00	0.00	0.00	86	11	3

4.4 Fleet Mix

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Fast Food Restaurant with Drive Thru	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991
High Turnover (Sit Down Restaurant)	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991
Single Family Housing	0.546418	0.044132	0.199182	0.124467	0.017484	0.005870	0.020172	0.031831	0.001999	0.002027	0.004724	0.000704	0.000991

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day										lb/day					
NaturalGas Mitigated	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
NaturalGas Unmitigated	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Fast Food Restaurant with Drive Thru	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
High Turnover (Sit Down Restaurant)	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Fast Food Restaurant with Drive Thru	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
High Turnover (Sit Down Restaurant)	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212
Unmitigated	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2398					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	2.6680					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	0.1372	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245		8.0241	8.0241	7.8800e-003		8.2212
Total	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2398					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	2.6680					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	0.1372	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245		8.0241	8.0241	7.8800e-003		8.2212
Total	3.0449	0.0519	4.4782	2.4000e-004		0.0245	0.0245		0.0245	0.0245	0.0000	8.0241	8.0241	7.8800e-003	0.0000	8.2212

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Specific Plan 7 Amendment (Mitigated) - South Coast AQMD Air District, Summer

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation
